# A Survey of the Burden of Management of Chronic Suppurative Otitis Media in a Developing Country

## Orji FT<sup>1,2</sup>

<sup>1</sup>Department of Otolaryngology, University of Nigeria Teaching Hospital, Enugu, <sup>2</sup>Department of Surgery Abia State University Teaching Hospital, Aba, Abia State, Nigeria

#### Address for correspondence: Dr. Foster Tochukwu Orji, Department of Otolaryngology, University of Nigeria Teaching Hospital, Enugu, Nigeria. E-mail: tochiorji@yahoo.com

#### **Abstract**

Background: Although the prevalence of chronic suppurative otitis media (CSOM) is much higher in developing counties, most surgical treatment techniques are not easily accessible in many poor resource countries. Aim: The survey aims to examine the extent to which health care facilities in Nigeria are equipped to address the management challenges of CSOM. Subjects and Methods: Online questionnaires were sent and received from otolaryngologists practicing in across Nigerian public health institutions to evaluate the institutional practice concerning management of CSOM. Information enquired include: Proportion of CSOM among the ear, nose and throat (ENT) patient load, routinely applied treatments and challenges facing availability of standard treatment options. Data were analyzed with Statistical Package for the Social Sciences version 15 (Chicago Illinois, USA), and presented descriptively. Results: Responses were returned from 17 otolaryngologists (68% [17/25]) practicing in institutions across the six geopolitical zones with a mean duration of otolaryngology services of 22.4 (14.8) years. The CSOM patients constitute an average of 25.3% (13.1) of ENT patient load, with an average of 31 (15.3) % having significant hearing loss. Surgery have never been tried in 41% (7/17) of the institutions due to lack of facilities and/or expertise. Among institutions that offer surgery, 40% (4/10) offer only cortical mastoidectomy and only 30% (3/10) offer type 1 tympanoplasty. Achievements of permanent dry ears were reported more in institutions that offer surgery. Unaffordable cost of hearing aid and lack of expertise for tympanoplasty are the major challenging factors for rehabilitation of CSOM induced hearing loss. Conclusion: Considering the enormity of CSOM in Nigeria, and the fact that >40% (7/17) of the public health institutions still lack facilities and/or expertise for surgical treatments for CSOM, public otolaryngological centers should not only be adequately equipped for tympanomastoid surgeries, attention should be focused on further training of experts in the operative techniques from within and outside the country.

**Keywords:** Chronic suppurative otitis media, Ear discharge, Hearing aids, Hearing loss, Mastoidectomy, Tympanoplasty

#### Introduction

Chronic suppurative otitis media (CSOM) is a leading cause of mild to moderate conductive acquired hearing loss worldwide, especially in children, and particularly in developing countries.<sup>[1-7]</sup> It is characterized by long-standing ear discharge through a persistent perforation of the tympanic



membrane.<sup>[7-10]</sup> CSOM is believed to develop in early childhood, often following poorly managed acute otitis media, with potential of spilling over into adulthood, accounting for recurrent episodes of chronic discharging ears that can last for many years.<sup>[2,7-9]</sup>

Although CSOM is a major health problem in many indigenous populations around the world, its impacts are often more pronounced in developing countries despite the advances in medicare recorded in the surgical management of CSOM globally.<sup>[2,5-7,11-13]</sup>

Risk factors that have been attributed to the high rates of CSOM in these populations are: overcrowding, poor hygiene, poor nutrition, high rates of nasopharyngeal colonization with

potentially pathogenic bacteria and inadequate and unavailable health care. [7,8,13-15] Often the commonly reported organisms responsible for most cases of CSOM include *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Klebsiella pneumonia*, *Escherichia coli*, and anaerobes. [3,5,7,8]

Most approaches to surgical treatment have been unsatisfactory or are very expensive, or techniques are not accessible in many poor resource countries. These issues are of concern to health workers throughout the world. The purpose of the present survey is to examine the extent to which public health care facilities in Nigeria are equipped to address the management challenges of CSOM among her populace.

### Subjects and Methods

This is a prospective study carried out over a period of 5 months ending April 2012, in which otolaryngologists filled out online survey questionnaires to evaluate the availability and adequacy of material and human resources for the management of CSOM in Nigerian public health care facilities. Questionnaires were sent out to E-mail addresses of specialist otolaryngologists practicing in public health institutions across the six geopolitical zones of Nigeria. The institutions were targeted to include the 18 institutions that were accredited (full and partial) by the West African College of Surgeons for postgraduate otolaryngology training in Nigeria. Reminders were sent after 1 week of no response. Following 3 weeks of non-response from the addressees, fresh questionnaires were sent to other otolaryngologist in the same respective institutions. Responses were also returned electronically to the E-mail address of the author. Trainee otolaryngologists were excluded from participating in the survey.

The questionnaire ensured anonymity of the respondents and their institutions and were also pretested for validity and reliability.

After ethical approval and informed verbal consent data on the following information were collected: Age of the institution as well as duration of its otolaryngology services, number of employed full-time otolaryngologists, data on residency training for otolaryngology; average proportion of CSOM patients to the overall ear, nose and throat (ENT) patient load, percentage of children as well as hearing loss among the CSOM patients, frequency of cholesteatoma, routinely available and preferred treatment options. Medical treatment refers to all non-surgical treatment option and included antibiotics/antifungal therapy, ear toileting, decongestants, whereas, the surgical treatments enquired, ranged from simple cortical to more complex radical mastoidectomies, and reconstruction of hearing by tympanoplasty surgeries. Also, the reasons, outcomes and limitations of the preferred options, challenges facing availability of standard treatment options as well as hearing rehabilitation, were evaluated.

Data were analyzed with Statistical Package for the Social Sciences version 15, Chicago Illinois, USA and presented descriptively.

#### Results

The questionnaires were delivered to a total of otolaryngologists practicing in 25 public health institutions across the six geopolitical zones of the country. Responses were returned from 17 (68% [17/25]) otolaryngologists representing their respective institutions. Seven (41% [7/17]) of the institutions were major federal teaching hospitals which have been rendering otolaryngology services for up to 30 years [Table 1]. The duration of otolaryngology services among the institutions ranged from 3 to 54 years, mean of 22.4 (14.8) years. The number of otolaryngologists engaged in each institution range from 1 to 6, with a mean of four otolaryngologists per institution. The average number of patient turn-out in the ENT clinics among the institutions ranged from 10 to 80/clinic day with a mean of 38 (19). Of this number, the mean proportion of CSOM per clinic day is 25.3 (13.1)%. Significant hearing loss was estimated averagely in 31% (15.3) of the CSOM patients.

Medical treatment is the only treatment option adopted for CSOM patients in 41% (7/17) of the institutions. The major reason offered for adopting only non-surgical treatment option was the unavailability of necessary surgical instruments in 86% (6/7) of the respondents, whereas lack of expertise for operative technique of mastoid and middle ear surgeries was additionally the reason in 57% (4/7) of the respondents. In one institution, it was acclaimed that non-surgical treatment almost always resulted in achieving permanent dry ear. Among the institutions where surgical options are routinely carried out for CSOM, 40% (4/10) can only offer cortical mastoidectomy due mainly to lack of necessary expertise for other forms of tympano-mastoidectomy [Table 1]. The only form of tympanoplasty that three centers can offer at the moment is type 1.

Social embarrassment from recurrent ear discharges was acknowledged by 88% (15/17) of the respondents as the major concern of CSOM patients, whereas hearing impairment on account of CSOM was recognized by 71% (12/17) of the respondents as a major concern of patients.

Concerning ear discharges, 35% (6/17) of the respondents acknowledged that dry ears are achieved in most patients mainly on a temporary basis [Table 2]. Eighty percent of the respondents that reported achieving permanent dry ears in some of their patients were related to institutions that are able to offer surgical treatment options to their patients.

Table 3 outlines the various options adopted by the different institutions in addressing the hearing deficit of the CSOM patient. Most respondents (87% [15/17]) acknowledge the application of hearing aids in their institutions, whereas

Table 1: Class of the health institutions in relation to the treatment modalities adopted for CSOM

Treatment modalities adopted	Class of the institutions				
	Major federal teaching hospitals	Younger federal teaching hospitals	FMC	State federal teaching hospitals	
Conservative medical treatment only	1	0	4	2	7
Combined medical and surgical treatment					
Cortical mastoidectomy only	2	2	0	0	4
Modified/radical mastoidectomy	2	1	0	0	3
Mastoidectomy/tympanoplasty (only type 1)	2	1	0	0	3
Total	7	4	4	2	17

CSOM: Chronic suppurative otitis media, FCM: Federal medical centers. n=17 respondents

Table 2: Adopted treatment option for CSOM in relation to the outcome of ear discharge **Treatment option** Dry ears achieved Total Permanently in Permanently in Temporarily in Never most patients few patients most patients achieved Only conservative medical treatment Combined surgical and medical treatment 3 2 0 10

CSOM: Chronic suppurative otitis media

Table 3: Management options for addressing hearing deficit from CSOM among the 17 health institutions

Options	Respondents	Percentage
Control of ear discharge alone	3	18
Use of hearing aids	13	76
Tympanoplasty	3	18

CSOM: Chronic suppurative otitis media

Table 4: Reported challenges to the management of hearing deficits from CSOM

Factors	Respondents	Percentage
Unaffordable cost of hearing aids	13	76
Non-availability of hearing aids	9	53
Social unacceptability of hearing aid	7	41
Lack of tympanoplasty expertise	10	59
Patients' ignorance	4	24

CSOM: Chronic suppurative otitis media

tympanoplasty is applied in only 18% (3/17) of the institutions. The major challenges to hearing rehabilitation of CSOM patients were displayed in Table 4, with unaffordable cost of hearing aid and lack of expertise for tympanoplasty as the most prominent factors.

#### **Discussion**

CSOM is commoner in developing countries, with its prevalence being reported as high as 11%, [8,13,15] whereas it is a vanishing disease in more developed part of the world where incidence is less than 2%. [8,14,16] In the developing countries still, poverty, ignorance, dearth of specialists and limited access to medical care amongst others conspire to worsen the course and complications (sometimes life-threatening) of CSOM. [13]

Randomized clinical trials comparing medical and surgical intervention are not available. Hence, the treatment of CSOM

is almost exclusively based on empirical experience.<sup>[17]</sup> Most otolaryngologists often adopt conservative medical treatment as the first line approach, with surgery as a secondary option when conservative treatment fails. Ear discharge form CSOM is often recalcitrant to management and prone to recurrences and occasionally, with life-threatening complications; hence it is recommended that all cases of CSOM be referred to otorhinolaryngologists for prompt management.<sup>[13,16-20]</sup> The otorhinolaryngologist will add little or is unlikely to add to patient's improvement if the expertise and facilities are not there at his/her disposal.<sup>[19,20]</sup>

In the present survey, social embarrassment from frequent ear discharges as well as hearing loss were identified by 88% (15/17) and 71% (12/17) of the respondents respectively as the major concerns of CSOM patients. But permanent dry ears were acknowledged in only 18% (3/17) of the patients which were more likely if surgeries were combined with medical treatments. Despite poorer results acknowledged in the control of ear discharges, more than 40% (7/17) of the institutions continued to adopt medical treatments as their only treatment option for CSOM. The major reasons for this adopted practice being the lack of facilities and expertise for tympanomastoid operations. These challenges were similarly identified as factors militating against the improvement of medicare of CSOM in developing countries. [13,16,18,19]

There are few reports in the literature of tympanomastoid surgeries being carried out in Nigeria for CSOM, [17,18] but are in agreement with results of this survey in recognizing that relatively lack of expertise and facilities for the tympanomastoid operation are identifiable challenges to the management outcome of CSOM in Nigeria. This invariably means limited or poor exposure of trainee otorhinolaryngologist to tympanoplasty/mastoid surgery in the country. [18] Also the range of tympanomastoid surgeries being carried out among

the institutions in this survey at the moment, seem inadequate for the surgical demand of the relatively teeming population of CSOM patient (23% of clinic attendance). It was observed that cortical mastoidectomy constitutes the major tympanomastoid surgery. In the case of tympanoplasty, only type 1 is carried out among the institutions in this present survey. This implies that more complex tympanomastoid surgeries for CSOM may not be in practice in Nigeria. There is therefore urgent need to focus attention towards the training of trainee otolaryngologists as well as retraining of otolaryngologist in the techniques of tympanomastoid surgery in institutions where these techniques are available both within and outside the country.

This survey also identified unaffordability of hearing aids (76% [13/17]) followed by lack of tympanoplasty expertise as the major challenges in the management of hearing deficit in CSOM patients. Disabling hearing impairment has been identified as a major health problem in patients with CSOM particularly in poor resource countries where CSOM is a recognized course of hearing impairment.<sup>[1-7,20,21]</sup> Although some degree of hearing improvement can be achieved via tympanoplasty, hearing aid may become a valuable option, if for any reason surgery cannot be carried out in a CSOM patient. Reports indicated that the production of hearing aids meets less than 10% of global need. In developing countries, fewer than 1 out of 40 people who need a hearing aid have one. <sup>[22]</sup>

#### Conclusion

Lack of expertise and facilities constitute a major problem in rehabilitation of CSOM patients. Training trainee resident doctors and retraining of otolarynglogist in techniques of tympanomastoid surgery should be vigorously pursued from such centers within and outside the country.

#### References

- Smith AW, Hatcher J, Mackenzie IJ, Thompson S, Bal I, Macharia I, et al. Randomised controlled trial of treatment of chronic suppurative otitis media in Kenyan school children. Lancet 1996;348:1128-33.
- Elemraid MA, Brabin BJ, Fraser WD, Harper G, Faragher B, Atef Z, et al. Characteristics of hearing impairment in Yemeni children with chronic suppurative otitis media: A case-control study. Int J Pediatr Otorhinolaryngol 2010;74:283-6.
- 3. Prakash R, Juyal D, Negi V, Pal S, Adekhandi S, Sharma M, et al. Microbiology of chronic suppurative otitis media in a tertiary care setup of Uttarakhand state, India. N Am J Med Sci 2013;5:282-7.
- Olusesi AD. Otitis media as a cause of significant hearing loss among Nigerians. Int J Pediatr Otorhinolaryngol 2008;72:787-92.
- 5. Nwokoye NN, Egwari LO, Coker AO, Olubi OO, Ugoji EO,

- Nwachukwu SC. Predisposing and bacteriological features of otitis media. Afr J Microbiol Res 2012;6:520-5.
- WHO. Chronic Suppurative Otitis Media: Burden of Illness and Management Options. Geneva, Switzerland: WHO; 2004.
- 7. Ologe FE, Nwawolo CC. Chronic suppurative otitis media in school pupils in Nigeria. East Afr Med J 2003;80:130-4.
- 8. Bluestone CD. Epidemiology and pathogenesis of chronic suppurative otitis media: Implications for prevention and treatment. Int J Pediatr Otorhinolaryngol 1998;42:207-23.
- Kenna MA. Epidemiology and natural history of chronic suppurative otitis media. Ann Otol Rhinol Laryngol 1988;97:8.
- Zakzouk SM, Hajjaj MF. Epidemiology of chronic suppurative otitis media among Saudi children – A comparative study of two decades. Int J Pediatr Otorhinolaryngol 2002;62:215-8.
- 11. Berman S. Otitis media in developing countries. Pediatrics 1995;96:126-31.
- 12. Tuli BS, Parmar TL, Kumar S. Incidence of deafness in school going children. Indian J Otolaryngol 1988;40:137-8.
- Ibekwe TS, Nwaorgu OG. Classification and management challenges of otitis media in a resource-poor country. Niger J Clin Pract 2011;14:262-9.
- Adoga A, Nimkur T, Silas O. Chronic suppurative otitis media: Socio-economic implications in a tertiary hospital in Northern Nigeria. Pan Afr Med J 2010;4:3.
- 15. Hatcher J, Smith A, Mackenzie I, Thompson S, Bal I, Macharia I, *et al*. A prevalence study of ear problems in school children in Kiambu district, Kenya, May 1992. Int J Pediatr Otorhinolaryngol 1995;33:197-205.
- Alho OP, Jokinen K, Laitakari K, Palokangas J. Chronic suppurative otitis media and cholesteatoma. Vanishing diseases among western populations? Clin Otolaryngol Allied Sci 1997;22:358-61.
- 17. Jensen RG, Homøe P, Anderson M, Koch A. Long-term follow-up of chronic suppurative otitis media in a high-risk children cohort. Int J Pediatr Otorhinolaryngol 2011;75:948-54.
- 18. Ogisi FO, Adobamen P. Type 1 tympanoplasty in Benin: A 10-year review. Niger Postgrad Med J 2004;11:84-7.
- Adobamen PR. Tympanoplasty: Is exposure adequate for otorhinolaryngology residents in Nigeria? Niger Postgrad Med J 2011;18:279-81.
- Baba S, Yagi T, Fujikura T. Subjective evaluation and overall satisfaction after tympanoplasty for chronic simple suppurative otitis media. J Nippon Med Sch 2004;71:17-24.
- Olusanya BO, Newton VE. Global burden of childhood hearing impairment and disease control priorities for developing countries. Lancet 2007;369:1314-7.
- 22. World Health Organization. Deafness and Hearing Impairment. Geneva: WHO; 2006. Fact Sheet No. 300.

**How to cite this article:** Orji FT. A survey of the burden of management of chronic suppurative otitis media in a developing Country. Ann Med Health Sci Res 2013;3:598-601.

Source of Support: Nil. Conflict of Interest: None declared.

# Author Index, 2013

Abayomi O see Oyewole AO et al		Ali A see Karoli R et al	
Abayomi O, Adelufosi A, Adebayo P, Ighoroje M,		Amadi AN see Iloh G et al	
Ajogbon D, Ogunwale A. HIV risk behavior in persons		Aneke F see Ezeonwu BU et al	
with severe mental disorders in a psychiatric hospital		Anish TS, Sreelakshmi PR. Revisiting public health	
in Ogun, Nigeria	380	challenges in the new millennium	299
Abbas R see Deshpande CS et al		Anozie IG see Adesola AO et al	
Abuwa P see Sawyer W et al		Anura K see Deshpande CS et al	
Adamu H see Oche MO et al		Anyaehie UB see Okeke TC et al	
Adebayo P see Abayomi O et al		Anyanwu GE see Onwukamuche CK et al	
Adebola RA see Osunde OD et al		Araújo J see Fernandes JV et al	
Adebowale TO, Adelufosi AO. Stress and minor psychiatric	e	Aravinda K see Kumar KH et al	
morbidity among Nigerian executives: Some socio-		Arora S see Sachdeva R et al	
demographic and biological correlates	412	Ashtari S see Moghimi-Dehkordi B et al	
Adelufosi A see Abayomi O et al		Aslam N. Stuttering among children exposed to	
Adelufosi AO see Adebowale TO et al		(family) high expressed emotion families	469
Adelufosi AO see Oyewole AO et al		Aundhakar SC, Mahajan SK, Agarwal AO, Mhaskar DM.	
Adesola AO, Anozie IG, Erohubie P, James BO. Prevalence		Acute pancreatitis associated with elevated troponin levels:	
and Correlates of "High Dose" Antipsychotic Prescribing:			S50
Findings from a Hospital Audit	62	Awopeju OA see Awopeju OF et al	
Adewole OO see Awopeju OF et al	~ <b>_</b>	Awopeju OF, Erhabor GE, Awosusi B, Awopeju OA,	
Adewole OO, Desalu OO, Nwogu KC, Adewole TO,		Adewole OO, Irabor I. Smoking prevalence and attitudes	
Erhabor GE. Respiratory Symptoms and Lung Function		regarding its control among health professional students in	
Patterns in Workers Exposed to Wood Smoke and		South-Western Nigeria	355
Cooking Oil Fumes (Mai Suya) in Nigeria	38	Awosusi B see Awopeju OF et al	333
Adewole TO see Adewole OO et al	30	Azevedo J see Fernandes JV et al	
Adlekha S see Krishnan P et al		Azevedo P see Fernandes JV et al	
Adlekha S, Chadha T, Krishnan P, Sumangala B.		Azodo CC see Oboro-Onuora HO et al	
Prevalence of <i>Helicobacter pylori</i> infection among		Azodo CC see Umoh AO et al	
patients undergoing upper gastrointestinal endoscopy in a		Azubuike JC see Ekwochi U et al	
medical college hospital in Kerala, India	559	Azubuike SO, Okwuokei SO. Knowledge, attitude and	
Adlekha S, Chadha T. Cellular schwannoma arising	337	practices of women towards breast cancer in Benin City,	
from sigmoid mesocolon presenting as torsion	S33	Nigeria	155
Agarwal AO see Aundhakar SC et al	333	Baba K see Nxasana N et al	133
Agarwal P see Aggarwal P et al		Babu AK see Krishnan P et al	
Agbata A see Ojiyi EC et al		Bajaj K see Singh P et al	
Aggarwal P, Agarwal P, Zutshi V, Batra S. Do women		Bajpai M see Gupta E et al	
presenting for first and second-trimester abortion differ		Bajwa SJ, Kulshrestha A. Dexmedetomidine: An	
socio-demographically?	187	adjuvant making large inroads into clinical practice	475
Aghaei M see Mohammadbeigi A et al	107	Bajwa SJ, Kulshrestha A. Fungal infections in intensive	4/3
Agrawal A see Sahoo S et al		care unit: Challenges in diagnosis and management	238
Agu AU see Onwukamuche CK et al		Bako BG see Bukar M et al	236
Aguwa EN see Madu AJ et al		Bala J see Singal R et al	
Aguwa EN see Mbata GC et al		Banerjee A see Chudasama RK et al	
Agwu UM see Obaji NC et al		Banerjee A see Chudasama KK et al Banerjee A see Kulkarni PY et al	
Agwu UM see Oroh RC et al		y .	
Alluvalia C see Sethi D et al		Banerjee A <i>see</i> Thakur RP <i>et al</i> Banode P <i>see</i> Taksande B <i>et al</i>	
Ahmad A, Patel I. Schedule H1: Is it a solution to curve antimicrobial misuse in India?	S55	Bansal DP see Gude D et al Bashir M see Khade A et al	
	333		
Ahmed N see Gupta SN et al		Batra S see Aggarwal P et al	
Ahmed S see Singh V et al		Baviskar MP <i>see</i> Giri PA <i>et al</i> Bhake A <i>see</i> Lonkar Y <i>et al</i>	
Ajogbon D see Abayomi O et al Akarte SV see Kulkarni PY et al		Bhandari AJ see Ladda R et al	
Akhionbare O see Ehizele AO et al		Bhat VG see Nxasana N et al	
Akinlade A see Ezechi OC et al			
AKIHIAUT A SEE EZECHI OC El Ul		Bhatnagar S, Naware S, Kuber R, Thind SS. Pediatric	

stroke: Neurological sequelae in uncorrected tetralogy		Chudasama RK, Patel UV, Verma PB, Banerjee A, Buch P,	
of fallot	S27	Patel P. A Two wave analysis of hospitalizations and	
Bhatt GC, Nandan D, Sen A, Kanaujia P. Fever of		mortality from seasonal and pandemic 2009 A (H1N1)	
unknown origin: A case of post obstructive pneumonia		influenza in Saurashtra, India: 2009-2011	334
complicating mature teratoma	461	Chukwu BF see Chinawa JM et al	
Bhattacharya K see Sengupta P et al		Chukwuka CJ see Mbata GC et al	
Bhawalkar JS see Kulkarni PY et al		Chukwuneke FN see Umeora O et al	
Bhumika N, Prabhu GV, Ferreira AM, Kulkarni MK.		Çolak H see Turkal M et al	
Noise-Induced Hearing Loss Still a Problem in		Curcio D, On behalf of the Latin American Antibiotic Use	
Shipbuilders: A Cross-Sectional Study in Goa, India	1	in Intensive Care Unit Group. Antibiotic prescriptions in	
Borgohain B, Khonglah T. Developing and Organizing a		critically-ill patients: A Latin American experience	220
Trauma System and Mass Casualty Management: Some		Daniyam CA, Iroezindu MO. Lipid Profile of Anti-Retrovir	
Useful Observations from the Israeli Trauma Model	85	Treatment-Naive HIV-Infected Patients in Jos, Nigeria	26
Borker A see Chaudhary N et al		Das J see Sarkar S et al	
Buch P see Chudasama RK et al		Das K see Nag C et al	
Bukar M, Chama CM, Bako BG, Jonathan BI. Twin		Das N, Chattopadhyay D, Chakraborty S, Dasgupta A.	
fetuses papyraeci in a spontaneous triplet pregnancy		Infant and young child feeding perceptions and practices	
presenting with unexplained preterm contractions	S13	among mothers in a rural area of West Bengal, India	370
Bukar M, Kunmanda V, Moruppa JY, Ehalaiye B, Takai UI	,	Das S see Maiti PK et al	
Ndonya DN. Maternal mortality at federal medical centre		Dasgupta A see Das N et al	
Yola, Adamawa State: A five-year review	568	de Fernandes T see Fernandes JV et al	
Carvalho M see Fernandes JV et al		Denen-Akaa P see Popoola SO et al	
Celine TM. A study on childhood death at a tertiary care		Desalu OO see Adewole OO et al	
level in Ernakulam district	407	Desalu OO see Onyedum CC et al	
Chadha T see Adlekha S et al		Deshmukh PT see Jain S et al	
Chadha T see Krishnan P et al		Deshpande CS, Rakshani A, Nagarathna R, Ganpat TS,	
Chakrabarti J. Serum leptin level in women with polycystic	;	Kurpad A, Maskar R, Nagendra HR, Sudheer DC, Abbas R	,
ovary syndrome: Correlation with adiposity, insulin, and		Raghuram N, Anura K, Rita M, Ramarao NH. Yoga for	
circulating testosterone	191	high-risk pregnancy: A randomized controlled trial	341
Chakraborty S see Das N et al		Deshpande R see Taksande B et al	
Chakravarthi KK. Unusual unilateral multiple muscular		Dey R see Maiti PK et al	
variations of back of thigh	S1	Dhir G, Makkar M, Suri V, Dubey VK. Familial dermal	
Chama CM see Bukar M et al		eccrine cylindromatosis with emphasis on histology and	
Chatra L see Mathew AK et al		genetic mapping	S3
Chatra L see Rao PK et al		Dike IE see Ojiyi EC et al	
Chatra L see Shanavas M et al		Diwan SK see Lonkar Y et al	
Chatra L see Veena KM et al		Dubey VK see Dhir G et al	
Chattopadhyay D see Das N et al		Dutt P, Chaudhary SR, Kumar P. Oral Health and	
Chaudhary N, Borker A. Pediatric precursor B-cell		menopause: A comprehensive review on current	
lymphoblastic lymphoma presenting with extensive		knowledge and associated dental management	320
skeletal lesions	262	Edet A see Ezechi OC et al	
Chaudhary SR see Dutt P et al		Ehalaiye B see Bukar M et al	
Chaudhuri P see Sengupta P et al		Ehizele AO, Akhionbare O. Effect of non-surgical periodon	ıtal
Chavan R see Singh HP et al		therapy on the concentration of volatile sulfur compound	
Chawla A see Singal R et al		in mouth air of a group of Nigerian young adults	433
Chinawa JM, Chukwu BF, Ikefuna AN, Emodi IJ.		Ejikem C see Ojiyi EC et al	
Musculoskeletal complications among children with sickle		Eke AC see Ezebialu IU et al	
cell anemia admitted in university of Nigeria Teaching		Ekezie J see Onwukamuche CK et al	
Hospital Ituku - Ozalla Enugu: A 58 month review	564	Ekwochi U, Odetunde OI, Maduka IC, Azubuike JC, Obi II	Ξ.
Chinawa JM, Obu HA, Uwaezuoke SN. Foreign Body in		Iron deficiency among non-anemic under-five children	
Vagina: An Uncommon Cause of Vaginitis in Children	102	in Enugu, South-East, Nigeria	402
Choudhury SR see Sarkar S et al		Ekwuazi KE see Okeke TC et al	
Chowhan AK, Nandyala R, Patnayak R, Phaneendra BV.		Eleje GU see Igwegbe AO et al	
Plagiarism: Trespassing the grey zone between searching	~	Elom HA see Obaji NC et al	
and researching	S56	Emodi IJ see Chinawa JM et al	
Chris-Ozoko LE see Oghale OP et al		Erhabor GE see Adewole OO et al	

Erhabor GE see Awopeju OF et al		Institute of Medical Sciences Loni, Western Maharashtra,	
Erohubie P see Adesola AO et al		India	51
Ezeala CC, Nweke IN, Ezeala MO. Common errors in		Godswill-Uko EU see Iloh G et al	0.1
manuscripts submitted to medical science journals	376	Goel R see Kumar P et al	
Ezeala MO see Ezeala CC et al		Gopakumar A, Thomas T, Thanzeel M. Pattern and	
Ezebialu IU, Eke AC. Knowledge and practice of		Determinants of Antenatal Booking at Abakaliki	
emergency contraception among female undergraduates in		<del>_</del>	132
South Eastern Nigeria	541	Gosavi SN see Jain S et al	
Ezechi OC, Ezeobi PM, Gab-Okafor CV, Edet A,		Goyal S see Singal R et al	
Nwokoro CA, Akinlade A. Maternal and fetal effect of		Grewal H see Singh V et al	
misgav ladach cesarean section in Nigerian Women: A		Gude D, Bansal DP, Malu A. Revisiting Plummer Vinson	
randomized control study	577	Syndrome	119
Ezegwui HU, Onoh RC, Ikeako LC, Onyebuchi A,		Guharoy D see Pande A et al	
Umeora O, Ezeonu P, Ibekwe P. Investigating Maternal		Gumodoka B see Mpogoro FJ et al	
Mortality in a Public Teaching Hospital, Abakaliki,		Gupta E, Bajpai M, Sharma P, Shah A, Sarin SK. Unsafe	
Ebonyi State, Nigeria	75	injection practices: A potential weapon for the outbreak of	
Ezenyeaku C see Okeke TC et al		blood borne viruses in the community	177
Ezenyeaku CC see Okeke TC et al		Gupta N see Gupta SN et al	
Ezeobi PM see Ezechi OC et al		Gupta S see Gupta SN et al	
Ezeonu P see Ezegwui HU et al		Gupta S see Singal R et al	
Ezeonu PO see Obaji NC et al		Gupta SN, Ahmed N, Gupta N, Gupta S. Slowly rising	
Ezeonu PO see Onoh RC et al		hilly young population of Himachal: A step towards	
Ezeonwu BU, Ibeneme CA, Aneke F, Oguonu T. Clinical			385
features of acute gastroenteritis in children at University		Gutch M see Pandey A et al	
of Nigeria Teaching Hospital, Ituku-Ozalla, Enugu	361	Hameed SK see Veena KM et al	
Ezeudo C see Onyedum CC et al		Hamidi MM see Turkal M et al	
Ezugwu EC see Iyoke CA et al		Hande S see Subramaniam BS et al	
Fadai F see Farzaneh N et al		Hari Kishan KY, Rao G. A Rare Case of Zosteriform	
Farhadifar F see Mohammadbeigi A et al		Cutaneous Metastases from Squamous Cell Carcinoma	
Farzaneh N, Ghobaklou M, Moghimi-Dehkordi B, Naderi I	N,		127
Fadai F. Effects of demographic factors, body mass index,		Ibegbulam OG see Madu AJ et al	
alcohol drinking and smoking habits on irritable bowel	201	Ibekwe P see Ezegwui HU et al	
syndrome: A case control study	391	Ibeneme CA see Ezeonwu BU et al	
Fatima J see Karoli R et al		Ighoroje M see Abayomi O et al	
Fernandes JV, Carvalho M, de Fernandes T, Araújo J,		Igwegbe AO, Eleje GU, Okpala BC. An appraisal of the management of ectopic pregnancy in a Nigerian tertiary	
Azevedo P, Azevedo J, Meissner RV. Prevalence of human			166
papillomavirus type 58 in women with or without cervical lesions in Northeast Brazil	504	hospital Igwegbe AO, Eleje GU. Hydatidiform mole: A review of	100
Ferreira AM see Bhumika N et al	304	management outcomes in a tertiary hospital in south-east	
Folaranmi N, Isiekwe M. Anterior face height values in a		2 1	210
Nigerian population	583	Ijarogbe OA <i>see</i> Obimakinde OS <i>et al</i>	210
Gab-Okafor CV see Ezechi OC et al	363	Ikeako LC see Ezegwui HU et al	
Gambhir RS see Setia S et al		Ikeako LC see Okeke TC et al	
Gangadhar SA see Ladda R et al		Ikefuna AN see Chinawa JM et al	
Ganpat TS see Deshpande CS et al		Iloh G, Ofoedu JN, Njoku PU, Okafor G, Amadi AN,	
Garg P see Karoli R et al		Godswill-Uko EU. Satisfaction with Quality of Care	
Garg S see Setia S et al		Received by Patients without National Health Insurance	
Geethamala K see Murthy VS et al		Attending a Primary Care Clinic in a Resource-Poor	
Ghobaklou M see Farzaneh N et al		Environment of a Tertiary Hospital in Eastern Nigeria in	
Ghongane B see Udupa A et al		the Era of Scaling up the Nigerian Formal Sector Health	
Ghosh M see Nag C et al		Insurance Scheme	31
Ghosh T see Maiti PK et al		Irabor I see Awopeju OF et al	
Ghosh TN see Nag C et al		Iroezindu MO see Daniyam CA et al	
Gill MK see Makkar M et al		Isiekwe M see Folaranmi N et al	
Giri PA, Baviskar MP, Phalke DB. Study of Sleep Habits		Iyogun CA see Osunde OD et al	
and Sleep Problems Among Medical Students of Pravara		Iyoke CA, Ugwu GO, Ezugwu EC, Onah N, Ugwu O,	

Okafor O. Incidence, pattern and management of ovarian		abdominal aortic aneurysm: An untold association	258
cancer at a tertiary medical center in Enugu, South		Krajewska-Kulak E see Sengupta P et al	
East Nigeria	417	Krishnan P see Adlekha S et al	
Jagadishchandra H see Veena KM et al		Krishnan P, Adlekha S, Chadha T, Babu AK. Rectal	
Jain H see Jain V et al		lipoma associated with genital prolapse	S18
Jain N see Pandey A et al		Kshirsagar M see Udupa A et al	
Jain S, Kashikar S, Deshmukh PT, Gosavi SN, Kaushal A.		Kuber R see Bhatnagar S et al	
Impacted laryngeal foreign body in a child: A diagnostic		Kuber R see Shah DD et al	
and therapeutic challenge	464	Kulkarni AD see Kulkarni PY et al	
Jain V, Misra S, Tiwari S, Rahul K, Jain H. Recurrent		Kulkarni MK see Bhumika N et al	
perianal sinus in young girl due to pre-sacral epidermoid		Kulkarni PY, Akarte SV, Mankeshwar RM, Bhawalkar JS,	
cyst	458	Banerjee A, Kulkarni AD. Non-Adherence of New Pulmon	ary
James BO see Adesola AO et al		Tuberculosis Patients to Anti-Tuberculosis Treatment	67
Jammula S see Kota SK et al		Kulshrestha A see Bajwa SJ et al	
Jindal G see Setia S et al		Kulshrestha A see Bajwa SJ et al	
Joge V see Kumar S et al		Kumar A see Kumar P et al	
John J see Mathew E et al		Kumar A see Singh HP et al	
John LJ see Mathew E et al		Kumar BD see Murthy VS et al	
Jonathan BI see Bukar M et al		Kumar KH see Reddy HB et al	
Joshi R see Kumar S et al		Kumar KH, Aravinda K. Comparison of research	
Joshua E see Rooban T et al		productivity between metro and non-metro cities in a	
Kanaujia P see Bhatt GC et al		biomedical journal from India	182
Kangbai J. Lurking dangers behind overuse of lamivudine		Kumar N see Swamy RS et al	
to treat non-HIV hepatitis B patients in Africa	296	Kumar P see Dutt P et al	
Kapoor S, Sikka P, Saxena KK. Publication of Research	_, ,	Kumar P, Khattar A, Goel R, Kumar A. Role of Botox in	
Article: An Art or Science?	96	Efficient Muscle Relaxation and Treatment Outcome: An	
Kapoor V see Setia S et al	, ,	Overview	131
Karoli R, Fatima J, Shukla V, Garg P, Ali A. Predictors of		Kumar S see Lonkar Y et al	131
Diabetic retinopathy in Patients with type 2 Diabetes who		Kumar S, Joshi R, Joge V. Do clinical symptoms and signs	
have normoalbuminuria	536	predict reduced renal function among hospitalized adults?	492
Kasat VO see Ladda R et al	330	Kunmanda V see Bukar M et al	172
Kashikar S see Jain S et al		Kurpad A see Deshpande CS et al	
Kaur M see Rai S et al		Kwofie TB, Miura T. Increased Virus Replication and	
Kaur R see Singh P et al		Cytotoxicity of Non-pathogenic Simian Human Immuno	
Kaur S see Rai S et al		Deficiency Viruses-NM-3rN After Serial Passage in a	
Kaushal A see Jain S et al		Monkey-Derived Cell Line	55
Khade A, Bashir M, Sheethal A. Prescription pattern in		Ladda R, Gangadhar SA, Kasat VO, Bhandari AJ.	33
the department of surgery in a tribal district hospital of		Prosthodontic management of hypohidrotic ectodermal	
Andhra Pradesh, India	438	dysplasia with anodontia: A case report in pediatric patient	
Khanna V see Sahoo S et al	436	and review of literature	
			277
Kharb S, Sardana D, Nanda S. Correlation of Thyroid	42	Lal V. The neglected	255
Functions with Severity and Outcome of Pregnancy	43	Lawani OL see Onoh RC et al	
Khattar A see Kumar P et al		Lonkar Y, Parikh S, Kumar S, Diwan SK, Bhake A.	
Khetarpal S see Sethi D et al		Splenic Tuberculosis Presenting as Ascites in	116
Khode V, Rajoor U, Ramdurg S, Ruikar K, Nallulwar S.		Immunocompetant Patient	116
Can chronoscopic reading in whole body reaction time be		Madu AJ, Ocheni S, Ibegbulam OG, Aguwa EN, Madu KA	٠.
a tool in detecting cognitive dysfunction in hypertensives?	222	Pattern of CD4 T-lymphocyte values in Cancer patients on	400
Findings from a case control study	233	cytotoxic therapy	498
Khonglah T see Borgohain B et al		Madu KA see Madu AJ et al	
Kihunrwa A see Massinde AN et al		Maduka IC see Ekwochi U et al	
Kihunrwa A see Mpogoro FJ et al		Mahajan NC see Singal R et al	
Komattil R see Subramaniam BS et al		Mahajan SK see Aundhakar SC et al	
Kortor JN see Popoola SO et al		Maiti PK, Das S, Ghosh T, Dey R. Effects of potassium	
Kota SK see Kota SK et al		iodide on low avid immunological reactions: Probable	
Kota SK, Kota SK, Meher LK, Jammula S, Mohapatra S,		mechanism of action on selective fungal infections	397
Modi KD. Coexistence of pheochromocytoma with		Makkar M see Dhir G et al	

Makkar M, Gill MK, Singh DP. Xanthogranulomatous		Primary neuroendocrine carcinoma of breast: A rare	
endometritis: An unusual pathological entity mimicking		case report	S35
endometrial carcinoma	S48	Muttappallymyalil J see Mathew E et al	
Mali J see Singh HP et al		Naderi N see Farzaneh N et al	
Malik ZA, Shehab M. Mycobacterium tuberculosis		Nag C, Ghosh M, Das K, Ghosh TN. Joubert syndrome:	
pyomyositis in an infant	282	The molar tooth sign of the mid-brain	291
Malu A see Gude D et al		Nagarathna R see Deshpande CS et al	
Mankeshwar RM see Kulkarni PY et al		Nagendra HR see Deshpande CS et al	
Maskar R see Deshpande CS et al		Nahar P see Udupa A et al	
Massinde AN see Mpogoro FJ et al		Nallulwar S see Khode V et al	
Massinde AN, Kihunrwa A. Large vesico-vaginal fistula	456	Nanda S see Kharb S et al	
caused by a foreign body	456	Nandan D see Bhatt GC et al	
Mathew A see Mathew E et al		Nandyala R see Chowhan AK et al	
Mathew AK, Shenai P, Chatra L, Veena KM, Rao PK,	205	Narchal S see Patil SB et al	
Prabhu R. Compound odontoma in deciduous dentition	285	Naware S see Bhatnagar S et al	
Mathew E, Muttappallymyalil J, Sreedharan J, John LJ,		Naware SS see Shah DD et al	
John J, Mehboob M, Mathew A. Self-reported use of		Ndonya DN see Bukar M et al	
complementary and alternative medicine among the health		Neelaveni K see Reddy HB et al	
care consumers at a tertiary care center in Ajman, United		Nelluri VM see Swamy RS et al	
Arab emIrates	215	Nikumb VB see Thakur RP et al	
Mbamara SU, Omojuwa IO. An unusual presentation of	25.4	Njoku PU see Iloh G et al	
perforated intrauterine contraceptive device	274	Nwaiwu CO see Onwukamuche CK et al	
Mbata GC, Chukwuka CJ, Onyedum CC, Onwubere B,		Nweke IN see Ezeala CC et al	
Aguwa EN. The role of complications of community		Nwibo AN see Ugwuja EI et al	
acquired pneumonia on the outcome of the illness: A		Nwigwe CG see Obaji NC et al	
prospective observational study in a tertiary institution in	265	Nwogu KC see Adewole OO et al	
Eastern Nigeria	365	Nwokoro CA see Ezechi OC et al	
Mehboob M see Mathew E et al		Nxasana N, Baba K, Bhat VG, Vasaikar SD. Prevalence of	
Meher LK see Kota SK et al		intestinal parasites in primary school children of mthatha,	511
Meissner RV see Fernandes JV et al		Eastern Cape Province, South Africa	511
Mhaskar DM see Aundhakar SC et al		Nzewuihe AC see Ojiyi EC et al	
Mishra A see Singh P et al		Obaji NC, Elom HA, Agwu UM, Nwigwe CG, Ezeonu PO,	,
Misra S see Jain V et al		Umeora O. Awareness and Practice of Breast	
Mittal G, Mittal SR. Mandibular fractures at veer Chandra		Self-Examination among Market Women in Abakaliki,	7
Singh Garhwali Government Medical Science and Research	1	South East Nigeria	7
Institute, Garhwal region, Uttarakhand, India: A	171	Obi IE see Ekwochi U et al	
retrospective study	161	Obimakinde AM see Obimakinde OS et al	r
Mittal SR see Mittal G et al		Obimakinde OS, Okoje VN, Ijarogbe OA, Obimakinde AM	l.
Mittal T see Singh V et al		Role of Patients' Demographic Characteristics and Spatial	
Miura T see Kwofie TB et al		Orientation in Predicting Operative Difficulty of Impacted	0.1
Modi KD see Kota SK et al		Mandibular Third Molar	81
Moghimi-Dehkordi B see Farzaneh N et al	1.	Oboro-Onuora HO, Onuora OI, Sede MA, Azodo CC.	020
Moghimi-Dehkordi B, Safaee A, Vahedi M, Pourhoseingho	11	Periapical infection masquerading as a nasal pustule	S38
A, Pourhoseingholi MA, Ashtari S, Zali MR. Overweight		Obu HA see Chinawa JM et al	
and obesity and related factors in urban Iranian population	171	Oche MO, Adamu H. Determinants of patient waiting time	
aged between 20 to 84 years	171	in the general outpatient department of a tertiary health	500
Mohammadbeigi A, Farhadifar F, zadeh NS,		institution in North Western Nigeria	588
Mohammadsalehi N, Rezaiee M, Aghaei M. Fetal	546	Ocheni S see Madu AJ et al	
macrosomia: Risk factors, Maternal, and Perinatal outcome	346	Odetunde OI see Ekwochi U et al	
Mohammadsalehi N see Mohammadbeigi A et al		Ofoedu JN see Iloh G et al	
Mohapatra S see Kota SK et al		Ogbonna NC see Ugwuja EI et al	
More SS see Patil SB et al		Oghale OP, Chris-Ozoko LE. Asyndromic Bilateral	122
Moruppa JY see Bukar M et al		Transverse Facial Cleft	122
Mpogoro FJ, Gumodoka B, Kihunrwa A, Massinde AN.	112	Ogunwale A see Abayomi O et al	
Managing a Live Advanced Abdominal Twin Pregnancy	113	Oguonu T see Ezeonwu BU et al	
Murthy VS, Geethamala K, Kumar BD, Sudharao M.		Ojiyi EC, Dike IE, Okeudo C, Ejikem C, Nzewuihe AC,	

Agbata A. Local risk factors in genital human papilloma		of the literature	288
Virus Infection in cervical smears	529	Owolabi LF. Progressive supranuclear palsy misdiagnosed	
Okafor G see Iloh G et al		as Parkinson's disease: A case report and review of	
Okafor O see Iyoke CA et al		literature	S44
Okeke TC, Anyaehie UB, Ezenyeaku CC. Premature		Oyewole AO, Adelufosi AO, Abayomi O. Acute dystonic	
Menopause	90	reaction as medical emergency: A report of two cases	453
Okeke TC, Ekwuazi KE. Is there still a place for vacuum		Pamidi N see Swamy RS et al	
extraction (ventouse) in modern obstetric practice in		Pande A, Guharoy D. A case report of <i>Plasmodium vivax</i> ,	
Nigeria	471	Plasmodium falciparum and dengue co-infection in a	
Okeke TC, Ezenyeaku C, Ikeako LC. Peripartum		6 months pregnancy	S16
Cardiomyopathy	313	Pandey A, Usman K, Reddy H, Gutch M, Jain N,	
Okeke TC, Onah N, Ikeako LC, Ezenyeaku C. The		Qidwai SA. Prevalence of hand disorders in type 2 diabetes	,
frequency and pattern of female genital tract malignancies		mellitus and its correlation with microvascular	
at the University of Nigeria Teaching Hospital, Enugu,		complications	349
Nigeria	345	Parashari A see Singh V et al	
Okeke TC, Ugwu EO, Ezenyeaku C, Ikeako LC,		Paricharak DG see Patil SB et al	
Okezie OA. Postpartum Practices of Parturient Women in		Parikh S see Lonkar Y et al	
Enugu, South East Nigeria	47	Patel I see Ahmad A et al	
Okeudo C see Ojiyi EC et al		Patel P see Chudasama RK et al	
Okezie OA see Okeke TC et al		Patel UV see Chudasama RK et al	
Okoje VN see Obimakinde OS et al		Pathan N see Vyas A et al	
Okolugbo NE. Treatment outcomes of auricular		Patil MM see Taksande B et al	
hematoma using corrugated rubber drains: A pilot study	447	Patil SB, Narchal S, Paricharak DG, More SS.	
Okpala BC see Igwegbe AO et al		Endometrial osseous metaplasia: Case report with	
Okwuokei SO see Azubuike SO et al		literature review	S10
Oluwadiya KS see Popoola SO et al		Patnayak R see Chowhan AK et al	
Omojuwa IO see Mbamara SU et al		Phalke DB see Giri PA et al	
On behalf of the Latin American Antibiotic Use in		Phaneendra BV see Chowhan AK et al	
Intensive Care Unit Group see Curcio D et al		Popoola SO, Oluwadiya KS, Kortor JN, Denen-Akaa P,	
Onah N see Iyoke CA et al		Onyemaechi N. Compliance with seat belt use in	
Onah N see Okeke TC et al		Makurdi, Nigeria: An observational study	427
Onimawo IA see Ugwuja EI et al		Pourhoseingholi A see Moghimi-Dehkordi B et al	
Onoh RC see Ezegwui HU et al		Pourhoseingholi MA see Moghimi-Dehkordi B et al	
Onoh RC, Umeora O, Ezeonu PO, Onyebuchi AK,		Prabhu GV see Bhumika N et al	
Lawani OL, Agwu UM. Prevalence, pattern and		Prabhu R see Mathew AK et al	
consequences of intimate partner violence during		Prabhu RV see Shanavas M et al	
pregnancy at Abakaliki Southeast Nigeria	484	Qidwai SA see Pandey A et al	
Onoh RC. Author's Response	132	Raghu J see Swamy RS et al	
Onuora OI see Oboro-Onuora HO et al		Raghuram N see Deshpande CS et al	
Onwubere B see Mbata GC et al		Rahul K see Jain V et al	
Onwuekwe I. Author's response	S60	Rai S, Kaur M, Kaur S. Applications of stem cells in	
Onwukamuche CK, Ekezie J, Anyanwu GE, Nwaiwu CO,		interdisciplinary dentistry and beyond: An overview	245
Agu AU. Mechanisms of hip fracture in Owerri, Nigeria,		Raina SK. A comment on assessment of mild cognitive	
and its associated variables	229	impairment with mini mental state examination among	
Onyebuchi A see Ezegwui HU et al		adults in southeast Nigeria	S60
Onyebuchi AK see Onoh RC et al		Rajoor U see Khode V et al	
Onyedum CC see Mbata GC et al		Rakshani A see Deshpande CS et al	
Onyedum CC, Ukwaja KN, Desalu OO, Ezeudo C.		Ramarao NH see Deshpande CS et al	
Challenges in the management of bronchial asthma		Ramasamy J see Shrivastava SR et al	
among adults in Nigeria: A systematic review	324	Ramdurg S see Khode V et al	
Onyemaechi N see Popoola SO et al		Ranganathan K see Rooban T et al	
Ordinioha B see Sawyer W et al		Rao G see Hari Kishan KY et al	
Orji FT. A survey of the burden of management of		Rao M see Swamy RS et al	
chronic suppurative otitis media in a developing Country	598	Rao PK see Mathew AK et al	
Osunde OD, Iyogun CA, Adebola RA. Juvenile aggressive		Rao PK see Shanavas M et al	
ossifying fibroma of the maxilla: A case report and review		Rao PK, Veena KM, Chatra L, Shenai P. Twin tooth on	

either side: A case report of bilateral gemination	271	Prabhu RV. Multiple Peripheral Osteomas of Forehead:	
Rao UK see Rooban T et al		Report of a Rare Case	105
Reddy H see Pandey A et al		Sharma A see Sharma AK et al	
Reddy HB, Neelaveni K, Kumar KH. Silver: Russell		Sharma AK, Sharma RK, Sharma SK, Sharma A, Soni D.	
syndrome with cryptorchidism	S53	Typhoid intestinal perforation: 24 Perforations in one	
Rezaiee M see Mohammadbeigi A et al		patient	S41
Riar HK see Singh P et al		Sharma G. Burn injury caused by laptop computers	S31
Rita M see Deshpande CS et al		Sharma P see Gupta E et al	
Rooban T, Rao UK, Joshua E, Ranganathan K. Assessing		Sharma R see Vyas A et al	
the usefulness of salivary gland fine needle aspiration		Sharma RK see Sharma AK et al	
cytology as diagnostic aid for salivary gland malignancy	S58	Sharma SK see Sharma AK et al	
Ruikar K see Khode V et al		Sharma U see Sethi D et al	
Sachdeva R, Sachdeva S, Arora S. Sternal tuberculosis	S21	Sheethal A see Khade A et al	
Sachdeva S see Sachdeva R et al		Shehab M see Malik ZA et al	
Safaee A see Moghimi-Dehkordi B et al		Shenai P see Mathew AK et al	
Sahoo S, Singh D, Khanna V, Agrawal A. Oral health in		Shenai P see Rao PK et al	
pregnancy: Old problem, new findings yet more		Shenai P see Shanavas M et al	
predicaments	467	Shenai P see Veena KM et al	
Sahu RL. Percutaneous K-wire fixation for femur shaft		Shetty DC see Singh HP et al	
fractures in children: A treatment concepts for developing		Shori DD see Singh HP et al	
countries	197	Shrimal A see Sarkar S et al	
Sardana D see Kharb S et al	1,,	Shrivastava PS see Shrivastava SR et al	
Sarin SK see Gupta E et al		Shrivastava SR, Shrivastava PS, Ramasamy J. Disaster	
Sarkar S, Shrimal A, Das J, Choudhury SR. Pattern of		management: Fallacies and solutions: An Indian	
sexually transmitted infections: A profile from a sexually		perspective	468
transmitted infections clinic of a tertiary care hospital of		Shukla V see Karoli R et al	
eastern India	206	Sikka P see Kapoor S et al	
Sawyer W, Ordinioha B, Abuwa P. Nutrition intervention		Singal R, Bala J, Gupta S, Goyal S, Mahajan NC,	
program and childhood malnutrition: A comparative study	of	Chawla A. Primary Breast Tuberculosis Presenting as a	
two rural riverine communities in Bayelsa State, Nigeria	422	Lump: A Rare Modern Disease	110
Saxena KK see Kapoor S et al		Singh D see Sahoo S et al	110
Sede MA see Oboro-Onuora HO et al		Singh DP see Makkar M et al	
Sekhar MS, Vyas N. Defensive medicine: A bane to		Singh HP, Shetty DC, Kumar A, Chavan R, Shori DD,	
healthcare	295	Mali J. A molecular insight into the role of inflammation	
Sen A see Bhatt GC et al	273	in the behavior and pathogenesis of odontogenic cysts	523
Sengupta P, Chaudhuri P, Bhattacharya K. Screening		Singh P, Bajaj K, Kaur R, Mishra A, Riar HK. Ruptured	323
obesity by direct and derived anthropometric indices with		Seminoma of Undescended Testis Presenting as Acute	
evaluation of physical efficiency among female college		Abdomen: Case Report with Literature Review	108
students of Kolkata	517	Singh V, Parashari A, Ahmed S, Mittal T, Grewal H.	100
Sengupta P, Krajewska-Kulak E. Is mind-body relaxation	317	Reasons for non-compliance of patients to attend referral	
by yoga is effective to combat with lifestyle stress?	S61	hospital after screening for oral pre-cancer lesions through	
Sequria J see Veena KM et al	501	camp approach in rural population of india	S54
Sethi D, Ahluvalia C, Sharma U, Khetarpal S. A		Sirasanagandla SR see Swamy RS et al	551
synchronous presentation of two different ovarian tumors:		Somayaji SN see Swamy RS et al	
A rare occurrence	268	Soni D see Sharma AK et al	
Setia S see Setia S et al	200	Sreedharan J see Mathew E et al	
Setia S see Setia S et al. Setia S, Gambhir RS, Kapoor V, Jindal G, Garg S,		Sreelakshmi PR see Anish TS et al	
Setia S. Attitudes and awareness regarding Hepatitis B and		Subramaniam BS, Hande S, Komattil R. Attendance and	
Hepatitis C amongst health-care workers of a tertiary		achievement in medicine: Investigating the impact of	
Hospital in India	551	attendance policies on academic performance of medical	
Shah A see Gupta E et al	331	students	202
Shah DD, Naware SS, Thind SS, Kuber R. Superior		Sudharao M see Murthy VS et al	202
mesenteric artery syndrome: An uncommon cause of		Sudheer DC see Deshpande CS et al	
abdominal pain mimicking gastric outlet obstruction	S24	Sumangala B see Adlekha S et al	
Shah S see Udupa A et al	J27	Suri V see Dhir G et al	
Shanavas M, Chatra L, Shenai P, Veena KM, Rao PK,		Swamy RS, Rao M, Kumar N, Sirasanagandla SR,	
onanavas ivi, Chana L, Shchai I, vecha Kivi, Kau f K,		owamy no, nao wi, namai in, omasahagahula on,	

Nelluri VM. Unusual branching pattern of axillary artery		Ukwaja KN see Onyedum CC et al	
associated with the high origin of ulnar artery	265	Umeora O see Ezegwui HU et al	
Swamy RS, Rao M, Somayaji SN, Raghu J, Pamidi N.		Umeora O see Obaji NC et al	
Bilateral additional slips of triceps brachii forming osseo-		Umeora O see Onoh RC et al	
musculo-fibrous tunnels for ulnar nerves	450	Umeora O, Chukwuneke FN. Ethical Dilemma and	
Takai UI see Bukar M et al		Management of Infertility in HIV Seropositive Discordant	
Taksande B, Patil MM, Banode P, Deshpande R. Rarer		Couples: A Case Study in Nigeria	99
in a Rare	125	Umoh AO, Azodo CC. Association between periodontal	
Tan E see Turkal M et al		status, oral hygiene status and tooth wear among adult	
Thakur RP, Banerjee A, Nikumb VB. Health Problems		male population in Benin City, Nigeria	149
Among the Elderly: A Cross-Sectional Study	19	Usman K see Pandey A et al	
Thanzeel M see Gopakumar A et al		Uwaezuoke SN see Chinawa JM et al	
Thind SS see Bhatnagar S et al		Uzgur R see Turkal M et al	
Thind SS see Shah DD et al		Uzgur Z see Turkal M et al	
Thomas T see Gopakumar A et al		Vahedi M see Moghimi-Dehkordi B et al	
Tiwari S see Jain V et al		van Bogaert LJ. Are the currently existing anti-human	
Turkal M, Tan E, Uzgur R, Hamidi MM, Çolak H, Uzgur Z	<u>.</u>	papillomavirus vaccines appropriate for the developing	
Incidence and distribution of pulp stones found in		world?	306
radiographic dental examination of adult Turkish Dental		Vasaikar SD see Nxasana N et al	
Patients	572	Veena KM see Mathew AK et al	
Udupa A, Nahar P, Shah S, Kshirsagar M, Ghongane B. A		Veena KM see Rao PK et al	
comparative study of effects of omega-3 fatty acids, alpha		Veena KM see Shanavas M et al	
lipoic acid and vitamin E in type 2 diabetes mellitus	442	Veena KM, Jagadishchandra H, Sequria J, Hameed SK,	
Ugboma EW, Ugboma H. Sonographic evaluation of the		Chatra L, Shenai P. An extensive denture-induced	
splenic length in normal pregnancy in a tertiary hospital in		hyperplasia of maxilla	$S^{\gamma}$
Southern Nigeria: A pilot study	330	Verma PB see Chudasama RK et al	
Ugboma H see Ugboma EW et al		Vyas A, Pathan N, Sharma R, Vyas L. A clinicomycological	L
Ugwu EO see Okeke TC et al		study of cutaneous mycoses in Sawai Man Singh Hospital	
Ugwu GO see Iyoke CA et al		of Jaipur, North India	593
Ugwu O see Iyoke CA et al		Vyas L see Vyas A et al	
Ugwuja EI, Ogbonna NC, Nwibo AN, Onimawo IA.		Vyas N see Sekhar MS et al	
Overweight and Obesity, Lipid Profile and Atherogenic		zadeh NS see Mohammadbeigi A et al	
Indices among Civil Servants in Abakaliki, South Eastern		Zali MR see Moghimi-Dehkordi B et al	
Nigeria	13	Zutshi V see Aggarwal P et al	

## Author Institution Mapping (AIM)



Please note that not all the institutions may get mapped due to non-availability of the requisite information in the Google Map. For AIM of other issues, please check the Archives/Back Issues page on the journal's website.

# Title Index, 2013

A case report of Plasmodium vivax, Plasmodium falciparum	n	Market Women in Abakaliki, South East Nigeria	7
and dengue co-infection in a 6 months pregnancy	S16	Bilateral additional slips of triceps brachii forming osseo-	
A clinicomycological study of cutaneous mycoses in		musculo-fibrous tunnels for ulnar nerves	450
Sawai Man Singh Hospital of Jaipur, North India	593	Burn injury caused by laptop computers	S31
A comment on assessment of mild cognitive impairment		Can chronoscopic reading in whole body reaction time be	
with mini mental state examination among adults in		a tool in detecting cognitive dysfunction in hypertensives?	
southeast Nigeria	S60	Findings from a case control study	233
A comparative study of effects of omega-3 fatty acids,		Cellular schwannoma arising from sigmoid mesocolon	
alpha lipoic acid and vitamin E in type 2 diabetes mellitus	442	presenting as torsion	S33
A molecular insight into the role of inflammation in the		Challenges in the management of bronchial asthma	
behavior and pathogenesis of odontogenic cysts	523	among adults in Nigeria: A systematic review	324
A Rare Case of Zosteriform Cutaneous Metastases from		Clinical features of acute gastroenteritis in children at	
Squamous Cell Carcinoma of Hard Palate	127	University of Nigeria Teaching Hospital, Ituku-Ozalla,	2 - 1
A study on childhood death at a tertiary care level in		Enugu	361
Ernakulam district	407	Coexistence of pheochromocytoma with abdominal aortic	
A survey of the burden of management of chronic		aneurysm: An untold association	258
suppurative otitis media in a developing Country	598	Common errors in manuscripts submitted to medical	a <b>-</b> -
A synchronous presentation of two different ovarian		science journals	376
tumors: A rare occurrence	268	Comparison of research productivity between metro and	100
A Two wave analysis of hospitalizations and mortality		non-metro cities in a biomedical journal from India	182
from seasonal and pandemic 2009 A (H1N1) influenza in	22.4	Compliance with seat belt use in Makurdi, Nigeria: An	40.5
Saurashtra, India: 2009-2011	334	observational study	427
Acute dystonic reaction as medical emergency: A report	452	Compound odontoma in deciduous dentition	285
of two cases	453	Correlation of Thyroid Functions with Severity and	42
Acute pancreatitis associated with elevated troponin	0.50	Outcome of Pregnancy	43
levels: Whether to thrombolyse or not?	S50	Defensive medicine: A bane to healthcare	295
An appraisal of the management of ectopic pregnancy in a	166	Determinants of patient waiting time in the general	
Nigerian tertiary hospital	166	outpatient department of a tertiary health institution in	500
An extensive denture-induced hyperplasia of maxilla	S7	North Western Nigeria	588
An unusual presentation of perforated intrauterine	274	Developing and Organizing a Trauma System and Mass	
contraceptive device	274	Casualty Management: Some Useful Observations from	0.5
Anterior face height values in a Nigerian population	583	the Israeli Trauma Model	85
Antibiotic prescriptions in critically-ill patients: A Latin	220	Dexmedetomidine: An adjuvant making large inroads into	175
American experience	220	clinical practice	475
Applications of stem cells in interdisciplinary dentistry and beyond: An overview	245	Disaster management: Fallacies and solutions: An Indian	468
Are the currently existing anti-human papillomavirus	243	perspective  Do clinical symptoms and signs predict reduced renal	400
vaccines appropriate for the developing world?	306	function among hospitalized adults?	492
Assessing the usefulness of salivary gland fine needle	300	Do women presenting for first and second-trimester	472
aspiration cytology as diagnostic aid for salivary gland		abortion differ socio-demographically?	187
malignancy	58	Effect of non-surgical periodontal therapy on the	107
Association between periodontal status, oral hygiene status		concentration of volatile sulfur compound in mouth air	
and tooth wear among adult male population in Benin City,		of a group of Nigerian young adults	433
Nigeria	149	Effects of demographic factors, body mass index, alcohol	733
Asyndromic Bilateral Transverse Facial Cleft	122	drinking and smoking habits on irritable bowel syndrome:	
Attendance and achievement in medicine: Investigating	122	A case control study	391
the impact of attendance policies on academic performance		Effects of potassium iodide on low avid immunological	5)1
of medical students	202	reactions: Probable mechanism of action on selective	
Attitudes and awareness regarding Hepatitis B and		fungal infections	397
Hepatitis C amongst health-care workers of a tertiary		Endometrial osseous metaplasia: Case report with	'
Hospital in India	551	literature review	S10
Author's Response	132	Erratum	134
Author's response	S60	Ethical Dilemma and Management of Infertility in HIV	
Awareness and Practice of Breast Self-Examination among		Seropositive Discordant Couples: A Case Study in Nigeria	99

Familial dermal eccrine cylindromatosis with emphasis on		Maternal mortality at federal medical centre Yola,	
histology and genetic mapping	S3	Adamawa State: A five-year review	568
Fetal macrosomia: Risk factors, Maternal, and Perinatal		Mechanisms of hip fracture in Owerri, Nigeria, and its	
outcome	546	associated variables	229
Fever of unknown origin: A case of post obstructive		Multiple Peripheral Osteomas of Forehead: Report of a	
pneumonia complicating mature teratoma	461	Rare Case	105
Foreign Body in Vagina: An Uncommon Cause of		Musculoskeletal complications among children with sickle	
Vaginitis in Children	102	cell anemia admitted in university of Nigeria Teaching	
Fungal infections in intensive care unit: Challenges in		Hospital Ituku - Ozalla Enugu: A 58 month review	564
diagnosis and management	238	Mycobacterium tuberculosis pyomyositis in an infant	282
Health Problems Among the Elderly: A Cross-Sectional		Noise-Induced Hearing Loss Still a Problem in	
Study	19	Shipbuilders: A Cross-Sectional Study in Goa, India	1
HIV risk behavior in persons with severe mental disorders		Non-Adherence of New Pulmonary Tuberculosis Patients	
in a psychiatric hospital in Ogun, Nigeria	380	to Anti-Tuberculosis Treatment	67
Hydatidiform mole: A review of management outcomes		Nutrition intervention program and childhood malnutrition:	
in a tertiary hospital in south-east Nigeria	210	A comparative study of two rural riverine communities in	
Impacted laryngeal foreign body in a child: A diagnostic		Bayelsa State, Nigeria	422
and therapeutic challenge	464	Oral Health and menopause: A comprehensive review on	
Incidence and distribution of pulp stones found in		current knowledge and associated dental management	320
radiographic dental examination of adult Turkish Dental		Oral health in pregnancy: Old problem, new findings	
Patients	572	yet more predicaments	467
Incidence, pattern and management of ovarian cancer at a		Overweight and obesity and related factors in urban	
tertiary medical center in Enugu, South East Nigeria	417	Iranian population aged between 20 to 84 years	171
Increased Virus Replication and Cytotoxicity of Non-		Overweight and Obesity, Lipid Profile and Atherogenic	
pathogenic Simian Human Immuno Deficiency Viruses-NM	Л-	Indices among Civil Servants in Abakaliki, South Eastern	
3rN After Serial Passage in a Monkey-Derived Cell Line	55	Nigeria	13
Infant and young child feeding perceptions and practices		Pattern and Determinants of Antenatal Booking at	
among mothers in a rural area of West Bengal, India	370	Abakaliki Southeast Nigeria	132
Investigating Maternal Mortality in a Public Teaching		Pattern of CD4 T-lymphocyte values in Cancer patients	
Hospital, Abakaliki, Ebonyi State, Nigeria	75	on cytotoxic therapy	498
Iron deficiency among non-anemic under-five children in		Pattern of sexually transmitted infections: A profile from a	
Enugu, South-East, Nigeria	402	sexually transmitted infections clinic of a tertiary care	
Is mind-body relaxation by yoga is effective to combat		hospital of eastern India	206
with lifestyle stress?	S61	Pediatric precursor B-cell lymphoblastic lymphoma	
Is there still a place for vacuum extraction (ventouse) in		presenting with extensive skeletal lesions	262
modern obstetric practice in Nigeria	471	Pediatric stroke: Neurological sequelae in uncorrected	
Joubert syndrome: The molar tooth sign of the mid-brain	291	tetralogy of fallot	S27
Juvenile aggressive ossifying fibroma of the maxilla:		Percutaneous K-wire fixation for femur shaft fractures in	
A case report and review of the literature	288	children: A treatment concepts for developing countries	197
Knowledge and practice of emergency contraception		Periapical infection masquerading as a nasal pustule	S38
among female undergraduates in South Eastern Nigeria	541	Peripartum Cardiomyopathy	313
Knowledge, attitude and practices of women towards		Plagiarism: Trespassing the grey zone between searching	
breast cancer in Benin City, Nigeria	155	and researching	S56
Large vesico-vaginal fistula caused by a foreign body	456	Postpartum Practices of Parturient Women in Enugu,	
Lipid Profile of Anti-Retroviral Treatment-Naive		South East Nigeria	47
HIV-Infected Patients in Jos, Nigeria	26	Predictors of Diabetic retinopathy in Patients with type 2	
Local risk factors in genital human papilloma Virus		Diabetes who have normoalbuminuria	536
Infection in cervical smears	529	Premature Menopause	90
Lurking dangers behind overuse of lamivudine to treat		Prescription pattern in the department of surgery in a	
non-HIV hepatitis B patients in Africa	296	tribal district hospital of Andhra Pradesh, India	438
Managing a Live Advanced Abdominal Twin Pregnancy	113	Prevalence and Correlates of "High Dose" Antipsychotic	
Mandibular fractures at veer Chandra Singh Garhwali		Prescribing: Findings from a Hospital Audit	62
Government Medical Science and Research Institute,		Prevalence of hand disorders in type 2 diabetes mellitus	
Garhwal region, Uttarakhand, India: A retrospective study	161	and its correlation with microvascular complications	349
Maternal and fetal effect of misgav ladach cesarean		Prevalence of <i>Helicobacter pylori</i> infection among patients	
section in Nigerian Women: A randomized control study	577	undergoing upper gastrointestinal endoscopy in a medical	
•			

college hospital in Kerala, India	559	syndrome: Correlation with adiposity, insulin, and	
Prevalence of human papillomavirus type 58 in women		circulating testosterone	191
with or without cervical lesions in Northeast Brazil	504	Silver: Russell syndrome with cryptorchidism	S53
Prevalence of intestinal parasites in primary school		Slowly rising hilly young population of Himachal: A	
children of mthatha, Eastern Cape Province, South Africa	511	step towards stabilization	385
Prevalence, pattern and consequences of intimate partner		Smoking prevalence and attitudes regarding its control	
violence during pregnancy at Abakaliki Southeast Nigeria	484	among health professional students in South-Western	
Primary Breast Tuberculosis Presenting as a Lump: A Rare		Nigeria	355
Modern Disease	110	Sonographic evaluation of the splenic length in normal	
Primary neuroendocrine carcinoma of breast: A rare		pregnancy in a tertiary hospital in Southern Nigeria:	
case report	S35	A pilot study	330
Progressive supranuclear palsy misdiagnosed as		Splenic Tuberculosis Presenting as Ascites in	
Parkinson's disease: A case report and review of literature	S44	Immunocompetant Patient	116
Prosthodontic management of hypohidrotic ectodermal		Sternal tuberculosis	S21
dysplasia with anodontia: A case report in pediatric		Stress and minor psychiatric morbidity among Nigerian	
patient and review of literature	277	executives: Some socio-demographic and biological	
Publication of Research Article: An Art or Science?	96	correlates	412
Rarer in a Rare	125	Study of Sleep Habits and Sleep Problems Among	
Reasons for non-compliance of patients to attend referral		Medical Students of Pravara Institute of Medical Sciences	
hospital after screening for oral pre-cancer lesions through		Loni, Western Maharashtra, India	51
camp approach in rural population of india	S54	Stuttering among children exposed to (family) high	
Rectal lipoma associated with genital prolapse	S18	expressed emotion families	469
Recurrent perianal sinus in young girl due to pre-sacral		Superior mesenteric artery syndrome: An uncommon cause	•
epidermoid cyst	458	of abdominal pain mimicking gastric outlet obstruction	S24
Respiratory Symptoms and Lung Function Patterns in		The frequency and pattern of female genital tract	
Workers Exposed to Wood Smoke and Cooking Oil Fumes		malignancies at the University of Nigeria Teaching	
(Mai Suya) in Nigeria	38	Hospital, Enugu, Nigeria	345
Revisiting Plummer Vinson Syndrome	119	The neglected	255
Revisiting public health challenges in the new millennium	299	The role of complications of community acquired	
Role of Botox in Efficient Muscle Relaxation and		pneumonia on the outcome of the illness: A prospective	
	131	observational study in a tertiary institution in Eastern	
Role of Patients' Demographic Characteristics and Spatial		Nigeria	365
Orientation in Predicting Operative Difficulty of Impacted		Treatment outcomes of auricular hematoma using	
Mandibular Third Molar	81	corrugated rubber drains: A pilot study	447
Ruptured Seminoma of Undescended Testis Presenting as		Twin fetuses papyraeci in a spontaneous triplet pregnancy	
Acute Abdomen: Case Report with Literature Review	108	presenting with unexplained preterm contractions	S13
Satisfaction with Quality of Care Received by Patients		Twin tooth on either side: A case report of bilateral	
without National Health Insurance Attending a Primary		gemination	271
Care Clinic in a Resource-Poor Environment of a Tertiary		Typhoid intestinal perforation: 24 Perforations in one	
Hospital in Eastern Nigeria in the Era of Scaling up the		•	S41
Nigerian Formal Sector Health Insurance Scheme	31	Unsafe injection practices: A potential weapon for the	
Schedule H1: Is it a solution to curve antimicrobial		outbreak of blood borne viruses in the community	177
	S55	Unusual branching pattern of axillary artery	
Screening obesity by direct and derived anthropometric		associated with the high origin of ulnar artery	265
indices with evaluation of physical efficiency among		Unusual unilateral multiple muscular variations of	
•	517	back of thigh	S1
Self-reported use of complementary and alternative		Xanthogranulomatous endometritis: An unusual	• • •
medicine among the health care consumers at a tertiary	215	, , ,	S48
3 /	215	Yoga for high-risk pregnancy: A randomized	
Serum leptin level in women with polycystic ovary		controlled trial	341