

## EFFECTS OF CLIMATE CHANGE ON POULTRY PRODUCTION IN ONDO STATE, NIGERIA

ADESJI, G.B.,<sup>1</sup> TYABO. I.S.,<sup>2</sup> BOLARIN, O.<sup>1</sup> IBRAHIM, M. <sup>2</sup> and BABA, S. T.<sup>1</sup>

<http://dx.doi.org/10.4314/ejesm.v6i3.3>

Received 12th February 2013; accepted 19th March 2013

### Abstract

The study assessed the effects of climate change on poultry production in Ondo State, Nigeria. Eighty three (83) poultry farmers were interviewed to elicit relevant information in line with the objectives of the study. Descriptive statistics and inferential statistical tools were used for data analysis. Findings revealed that majority (93.3%) of the respondents are aware of climate change, 78%, 98.8% and 86.7% of the respondents agreed that temperature fluctuation, increased in sunshine intensity and global warming has a negative effects on poultry production, 72.4% of the respondents agreed that prices of feed grains are usually high in hot and dry seasons which may affect cost of production and number of birds to raise for egg and meat production in the farm, 73.5% of the respondents agreed that climate change has effect on feed grain availability, this implies that high temperature and low rainfall are climatic factors that affect general grain harvest, their supply to the market and ultimately cost of poultry production. the findings further revealed that 94% of the respondents agreed that climate change affects egg and meat production pattern and 95.2% of the respondents agreed that moist climatic conditions encouraged the distribution and development of diseases. Inferential statistics shows that there is a significant relationship between respondents' socio – economic characteristics and perception of poultry farmers on effects of climate change on poultry production since  $p > 0.05$  ( $r = 0.454$ ,  $p = 0.001$ ), the results also revealed there is a significant relationship between socio-economic characteristics of respondents and their level of awareness of climate change since the  $p > 0.05$  ( $r = 0.652$ ,  $p = 0.001$ ). It is recommended extension agents and other development agencies need to educate the poultry farmers more about the effects posed by climate change on poultry production and intensify awareness campaign to poultry farmers on how to reduce the effects of climate change on poultry production.

**Key words:** Climate, Climate change, Temperature, Poultry, Farmers, Perception.

### Introduction

Poultry plays an important economic, nutritional and socio-cultural role in the livelihood of rural households in many developing countries, including Nigeria. Poultry are birds that include fowl, turkey, duck, goose, ostrich, guinea fowl, etc. which render not only economic services but contribute significantly to human food as a primary supplier of meat, egg, raw materials to industries (feathers, waste products), source of income and employment to people compared to other domestic animals (Avila,1985; Demeke, 2004). Poultry are efficient converters of feed to egg and meat within a short period of time. In terms of nutritive value, poultry egg rank second to cow milk. Agriculturists and nutritionists have generally agreed that developing the poultry industry of Nigeria is the fastest means of bridging

the protein deficiency gap presently prevailing in the country (Amos, 2006).

When ambient temperature is high, chickens have higher energy (feed) needs than when in thermo-neutral environments. Major losses result from a less efficient conversion of feed to meat, which detrimentally impacts poultry health and productivity (Olanrewaju *et al.*, 2010). Poultry flocks are particularly vulnerable to climate change because there is a range of thermal conditions within which animals are able to maintain a relatively stable body temperature in their behavioural and physiological activities. Hence, birds can only tolerate narrow temperature ranges to sustain the peak of their production for human consumption and any unpredictable climatic changes will therefore trigger a series of adjustment and readjustments by livestock and

<sup>1</sup>Department of Agricultural Extension and Rural Development, University of Ilorin, Nigeria.

<sup>2</sup>Department of Agricultural Economic and Extension Technology, Federal University of Technology Minna, Nigeria.

\*Corresponding author: drgbolaadesiji @ yahoo.com

poultry birds in the struggle for survival which may have negative consequence on the viability of poultry production. The environmental conditions affecting the performance and health productivity of chicken include temperature, relative humidity, light, sunshine prevailing at a given time, housing system and ventilation (Elijah and Adedapo, 2006). Ambient temperatures significantly influence the survivability and performance of the poultry production. According to Indian Council for Agricultural Research (ICAR) (2010), as the ambient temperature increased to  $\geq 34^{\circ}\text{C}$  the mortality due to heat was significantly high in meat type chickens by 8.4%, the feed consumption of the chickens decreases from 108.3g/bird/day at  $31.6^{\circ}\text{C}$  to 68.9g/bird/day at  $37.9^{\circ}\text{C}$ , the egg production also decreased by 6.4% as compared to their standard egg production.

Climate change alters global disease distribution, affects poultry feed intake, encourage outbreak of diseases which invariably affects poultry output (egg and meat) and also cost of production (Guis *et al.*, 2011). Elijah and Adedapo (2006) reported in his study that high rainfall and relative humidity provides a conducive environment for breeding of parasites that causes outbreak of diseases which invariably reduces egg production. They further reported that temperature reduces the feed intake of poultry birds because more energy is needed to conserve the heat caused by high temperature, hence, a decreased in the rate of feed intake. Before now, Ondo State has good climatic elements for poultry production especially its moderate temperature range. Research efforts on effects of climate change on poultry production will contribute positively to knowledge of the problem climate change poses to poultry sector that bears the contribution to the economy of the developing countries in the supply of protein to a large number of populations and also the source of livelihood for the rural populace. The broad objective of the study was to assess the effects of climate change on poultry production in Ondo State, Nigeria. The specific objectives of the study include determination of level of awareness of poultry farmers on climate change, perceived effects of climate change on feed – grain

availability, perceived effects of climate change on egg and meat production pattern and distribution of poultry diseases due to effects of climate change. The hypothesis tested include the relationship between selected socio-economic characteristics of poultry farmers and their perceived effects on climate change; and the relationship between selected socio-economic characteristics of poultry farmers and their level of awareness of climate change

### **Methodology**

The study was conducted in Ondo State generally referred as “Sunshine State” is located in the South-western Nigeria. The state lies between longitude  $4^{\circ} 30'$  and  $6^{\circ} 60'$  East of Greenwich meridian and latitude  $5^{\circ}45'$  and  $8^{\circ}15'$  North of Equator. The State has a land mass of 14,793sq km with a population of 3,441,024 (NPC, 2006). The tropical climate of the state has two broadly classified seasons: rainy season that starts from April and ends in October, and dry season that last between November to March. It has a temperature range of  $21^{\circ}\text{c} - 29^{\circ}\text{c}$  with a relatively high humidity. The annual rainfall varies from 2000mm in the southern areas to 1,150mm in the northern areas. The major occupation of the people in the state is agriculture which offers 75% of employment to the people of the state. The environmental condition in the state is favorable for certain agro-economic activities and animal rearing, such as poultry, piggery, dairy and fishing (Amos, 2006).

For this study, simple random sampling technique was used to a total of 83 poultry farms with at least 4 poultry from each of the 18 local Government Areas in the state. A well structured interview schedule was used as primary source of data collection from the sampled poultry farmers. Data analysis was done using descriptive statistics such as frequencies distribution, and percentages to determine the perception of the respondents on effects of climate change on poultry production in the study area. Chi –square was used to test the formulated hypothesis.



Figure 2 Map of Ondo State, Nigeria

### Results and Discussion

Age is an important factor among the socio – economic characteristics of poultry farmers as it determines the effectiveness and competence of labour availability for production. As indicated in Table 1, 42.2% of the respondents are in their active age of 31 – 40 years, hence they have the ability to supply the required labour needed in the production process. On the educational level of the respondents which directly influence the farmers' ability to adequately keep record and make observation on how climate change influences their poultry production pattern, the table shows that only 42.2% of the respondents have tertiary education while 38.5% did not have any formal education. This implies that farmers with good educational background are most likely to have better ability to keep records and make observation on effects of climate change on their farms than the illiterates. The Table also depicts that respondents with years of farming experience of between 11 – 20 and 20 – 30 years have a total

of 79.5%, hence, majority of them have good years of farming experience and this may influence their level of performance and observation on variation on climatic elements and its effects on poultry production. Close to half (44.6%) of the respondents practised intensive system of poultry production in the study area, this may be explained by the fact that the system has much smaller impact on global warming than the free range production system (Sluis, 2007).

Table 2 shows that 93.3% of the respondents agreed that they are aware of climate change; this indicates that the majority of the poultry farmers in the study area have noticed variation in climatic elements and are likely to observe how it will affect the rate of survival and performance of their poultry production. On the observed climatic variation, the table depicts that 78.4% of the respondents all agreed that temperature fluctuate in the study area. In similar vein, 98.8% of the respondents observed increased sunshine intensity in the study area, while 86.7% of the respondents

agreed that global warming has effect on poultry production in the study area. Temperature fluctuation and increased sunshine intensity has negative consequence on poultry production resulting in high mortality of the chickens, low egg production and low feed in take with low production (ICAR, 2010).

Intensive poultry industries rely heavily on cereals grains as such as maize as their principal feed type, climate change will likely have the potential to affect the availability of the feed grain which will put pressure on the poultry industries. The result presented in table 3 revealed that 34.9% of the respondents disagree that high temperature and low rainfall have resulted to high feed availability; this is to say that these factors have negatively affected feed availability to poultry farmers and also their production. From table 3, majority (72.4%) of the respondents agreed that prices of feed grains are usually high during hot and dry seasons which may significantly influence the cost production as well as the number of the birds the farmer will be able raise in his farm. Similarly, majority (73.5%) of the respondents also agreed that climate change has effect on feed grain availability, this may be due to high temperature and low rainfall which are hash climatic conditions that may result to low

harvest and hence scarcity of feed grain. The scarcity of feed grains can affect the cost of feed and purchasing power of the poultry farmers, and consequently quantity of egg and meat produced in the farm.

Table1 Socio – economic characteristics of respondents in the study area

Characteristics	Frequency	Percentage
<b>Age</b>		
21-30	4	4.8
31-40	35	42.2
41-50	26	31.3
>50	83	21.7
<b>Educational Level</b>		
No formal Education	32	38.5
Adult Education	11	13.3
Secondary Education	5	6.0
Tertiary Education	35	42.2
<b>Years of Farming Exp.</b>		
< 10	15	18.1
11- 20	37	44.6
21-30	29	34.9
31 - 40	2	2.4
<b>System of poultry Mgt</b>		
Intensive	34	44.6
Semi -intensive	12	14.5
Extensive	37	41.0

Table 2 Perception of respondents according to level of awareness and observed climatic variations

	SA Frq (%)	A Frq (%)	SD Frq (%)	D Frq (%)
Level of awareness	50 (60.2)	25 (30.1)	2 (2.4)	6 (7.3)
Climatic variations				
Temperature fluctuate	33 (39.8)	32 (38.6)	14 (16.9)	4 (4.8)
Sunshine intensity increases	55 (66.3)	27 (32.5)	-	1 (1.2)
Rainfall distribution follows regular pattern	15 (18.1)	18 (21.7)	28 (33.7)	22 (26.5)
Global warming has effect on poultry production	44 (53.0)	28 (33.7)	11 (13.3)	-

Table 3 Distribution of respondents on Perceived effects of climate change on feed –grain availability

Perceived effects	SA Frq (%)	A Frq (%)	U Frq (%)	D Frq (%)
High temperature and low rainfall have resulted to high feed availability	10 (12.0)	21 (25.3)	23 (27.7)	29 (34.9)
Prices of feed –grain are usually high during hot and dry seasons	33 (39.8)	32 (38.6)	14 (16.9)	4 (4.8)
High temperature and low rainfall conditions reduces quality of grains	5 (6.0)	27 (32.5)	20 (24.1)	31 (37.3)
Climate change has effect on feed grain availability	39 (47.0)	22 (26.5)	10 (12.0)	12 (14.5)

The result in table 4 shows that majority (94%) of the respondents agreed that climate change affects egg and meat production pattern in the study area, in the same vein 78.4% of the respondents agreed that high temperature makes birds feed less and drink more water; this is because temperature reduces the feed intake of poultry birds and more energy is needed to conserve the heat caused by high temperature, hence, a decreased in the rate of feed intake which results to decrease in egg and meat production (Elijah and Adedapo, 2006). The perception of respondents on the effect of high temperature and low rainfall on quality of egg, more than half (67.5%) of the respondents agreed that these factors have a negative effect on quality of egg in the study area. The Table further revealed that majority (86.8%) of the respondents agreed that high sunshine intensity affects poultry egg and meat production in the study area. High temperature and sunshine intensity many at times

results to high mortality of the chickens, low egg production and low feed in take with low production (ICAR, 2010).

From the results in table 5, majority (90.4%) of the respondents reported that climate change has effect on distribution of poultry diseases, close to three quarter (78.3%) of the respondents claimed that there are more poultry diseases than in the past as result of effect of climate change. The results in table 5 further revealed that majority (95.2%) of the respondents agreed that moist climatic conditions encouraged the distribution and development of diseases and 68.7% of the respondents also confirmed that climate change has led to the development of new poultry diseases in the study area. High rainfall and relative humidity provides a conducive environment for breeding of parasites that causes outbreak of diseases which invariably reduces egg and meat production (Elijah and Adedapo, 2006).

Table 4 Distribution of respondents on perceived effects of climate change on poultry egg and meat production pattern

Perceived effects on production pattern	SA Frq (%)	A Frq (%)	SD Frq (%)	D Frq (%)
Climate change affects egg and meat production	56 (67.5)	22 (26.5)	5 (6.0)	-
High temperature makes birds feed less and drink more water	33 (39.8)	32 (38.6)	7 (8.4)	11 (13.3)
High temperature and low rainfall leads to production of low quality egg	34 (41.0)	22 (26.5)	12 (14.5)	15 (18.1)
High sunshine affects egg production	54 (65.1)	18 (21.7)	18 (21.7)	11 (13.3)

Table 5 Distribution of respondents on perceived effects of climate change on poultry disease distribution

Effects of climate change on disease distribution	Yes Frequency (%)	No Frequency (%)
Does climate change have effect on the distribution of poultry diseases?	75 (90.4)	8 (9.6)
Are there more poultry diseases now than in the past due climate change?	65 (78.3)	18 (21.7)
Moist climatic conditions encourage the distribution and development of diseases?	79 (95.2)	4 (48.20)
Has climate change led to the development of new poultry diseases?	57 (68.7)	26 (31.3)

**Testing of hypotheses**

**Ho<sub>1</sub>: There is no significant relationship between selected socio-economic characteristics of poultry farmers and their perceived effects on climate change**

The result of chi-square analysis in table 6 shows that there is a significant relationship between respondents' socio – economic characteristics and perception of poultry farmers on effects of climate change on poultry production since  $p > 0.05$  ( $r = 0.454$ ,  $p = 0.001$ ). The  $r^2$  value

of 0.454 shows a good relationship between socio – economic characteristics and perception of poultry farmers on effects of climate change on poultry production. This implies that socio-economic characteristics influence the perception of the poultry farmers on the effect of climate change on poultry production in the study area. This may be explained on the basis of the fact that majority of the men and women, the young and old, the literate and illiterate as well as people that practice different systems of poultry farming are aware of climate change in the study area.

Table 6 Relationship between socio – economic characteristics of respondents and perceived effect of climate change on poultry production

Variables	N	X	SD	R	Significant	Decision
Socio-economic characteristics	83	1.2	0.53	0.454**	0.001	H <sub>0</sub>
Perceived effects	83	1.24	0.49	0.454**	0.001	Rejected

**Ho<sub>2</sub>: There is no significant relationship between selected socio-economic characteristics of poultry farmers and their level of awareness of climate change**

The chi-square result in table 7 also shows that there is a significant relationship between socio-economic characteristics of respondents and their

level of awareness of climate change since the  $p > 0.05$  ( $r = 0.652$ ,  $p = 0.001$ ). This implies that socio-economic characteristics of the poultry farmers have influence on their level of awareness of the effect of climate change on poultry production.

Table 7 Relationship between some selected socio – economic characteristics of respondents and their level awareness of climate change.

Variable	N	X	SD	R	Significant	Decision
Socio – economic characteristics	83	1.21	0.32	0.652**	0.001	H <sub>0</sub>
Level of awareness of climate change	83	1.21	0.44	0.652**	0.001	Rejected

## **Conclusion**

The study revealed that majority of the respondents are aware of the climate change and hence, most likely to make observation on how it affect poultry production pattern, effects of climate change which results in temperature fluctuation, increased in sunshine intensity and global warming has a negative effects on poultry production which many at times results to high mortality rate of the chickens, low egg and meat production and prices of feed grains are usually high in hot and dry seasons as result of effects of climate change which may affect cost of production and number of birds to raise for egg and meat production in the farm.

From the findings of the study, egg and meat production pattern are affected by climate change because periods of high temperature and sunshine intensity makes the birds to drink more water and reduce feed intake which many at times results to high mortality of the chickens, low egg production and low feed conversion ability of the birds to meat, hence, low meat production (ICAR, 2010). The study further revealed that climatic changes influence the emergence of new poultry diseases and increased its distribution. There is dire need to intensify awareness campaign to poultry farmers on how to reduce the effects of climate change on poultry production. Extension agents and other development agencies need to educate the poultry farmers more about the effects posed by climate change on poultry production.

## **References**

- Amos, T.T (2006), Analysis of Backyard Poultry Production in Ondo State, Nigeria. *International Journal of Poultry Science*, 5(3), 247 – 250.
- Avila, M. (1985), Intra and inter-household decision making in the Mangwende and Chivi Communal Areas: Preliminary results, Farming System Research Unit, Harare.
- Demeke, S. (2004), Egg Production and Performance of local white leghorn hens under intensive and rural household conditions in Ethiopia. *LRRD* 16: 2
- Elijah, O.A. and Adedapo, A. (2006), The effect of climate on poultry productivity in Ilorin Kwara State, Nigeria. *International journal of poultry Science*, 5(11), 1061-1068
- Guis, H., Caminade, C., Calvete, C., Morse, A.P., Tran, A. and Baylis, M. (2011), Modelling The effects of past and future climate on the risk of bluetongue emergence in Europe. *Journal of Rural Sociology Interface* 10. 1098/rsif.2011.0255
- India Council of Agricultural Research (ICAR), 2010 -11 annual Report Pp 13.
- Olanrewaju, H.A., Purswell, J.L., Collier, S.D. and Branton, S.L. (2010), Effect of Ambient Temperature and Light Intensity on Growth Performance and Carcass Characteristics of Heavy Broiler Chickens at 56 Days of Age. *International Journal of Poultry Science*, 9(8), 720-725.
- Sluis, W. V. (2007), Intensive poultry Production. *World poultry Magazine* 23 (12). Retrieved from WWW. World poultry.net on 15<sup>th</sup>/01/2013.