## MIGHT THE TIME BE RIPE TO RE-DEFINE THE CAUSE OF AIDS IN THE LIGHT OF EMERGING EVIDENCE?

## C. F. L. Mbakaya<sup>1</sup>, H. Nyambaka<sup>2</sup>, J. Waudo<sup>3</sup> and I. O. Ndiege<sup>4</sup>

- <sup>1</sup>The Epidemiology, Public Health and Health Systems Research Programme and The Centre for Public Health Research, Kenya Medical Research Institute, Nairobi, Kenya.
- <sup>1,2</sup>Department of Chemistry, School of Pure and Applied Sciences, Kenyatta University, Nairobi, Kenya.
- <sup>1,3</sup>Graduate School and School of Pure and Applied Sciences, Kenyatta University, Nairobi, Kenya.
- <sup>1,4</sup>Institute of Tropical Medicine and Infectious Diseases, Jomo Kenyatta University of Agriculture and Technology, Nairobi, Kenya.

The assumption proposed by Gallo in 1984 that the cause of AIDS is infection with HIV was founded on the correlation between detection of antibodies to this virus and the onset of AIDS. This view became generally accepted, and today it is still the foundation stone of HIV-related measures for the prevention and treatment of AIDS. However, although unanimously rejected by AIDS researchers to date, Duesberg vehemently opposed this opinion, suggesting that AIDS is caused by drugs and malnutrition and that HIV is only a passenger pathogen (Duesberg, 1988; 1994; Lindermann, 1994). Earlier, it was reported that zinc deficiency was becoming a reality in the UK and the problem might be worse in developing countries, yet zinc deficiency and AIDS symptoms were similar and that micro-nutrient zinc had anti-viral, anti-bacterial and anti-cancer properties, for reasons that were only poorly understood then (Bryce-Smith, 1989).

More recently, the role of consumption of fumonisin-contaminated maize has been linked with increased risk of HIV transmission, while consumption of rice contaminated with aflatoxins has been associated with hepatocellular cancer (Williams *et al.*, 2010), suggesting that there may be other co-factors in the HIV and AIDS disease as earlier observed by Professor Duesberg. More than a decade earlier, a literature review paper suggested that the search for a cure for HIV and AIDS would remain extremely elusive, and for a long time to come, if the combined role of micro-nutrient zinc and the immune-suppressing dioxins was relegated to the periphery of biomedical research (Mbakaya and Wakori, 1997). Soon after, it was reported that zinc deficiency was responsible for the pre-mature switch from cellular (T-helper-1, Th-1) to humoral/antibody (T-helper-2) immunity (Sprietsma, 1999).

Furthermore, it has been observed that micro-nutrient zinc deficiency was a possible co-factor in the transmission and progression of HIV and AIDS in Kenya (Mbakaya et al., 2004b), also indirectly supporting Duesberg's views. Lately, it has been argued that serum zinc levels and by extension cell-mediated immunity (Th-1) are physiologically lowered to produce antibodies (Th-2) in adapting to pathogens such as HIV (Mbakaya et al., 2008a) and chemicals such as oral contraceptive agents (Mbakaya et al., 2010c), perfectly elucidating the hitherto un-explained co-infection with malaria, HIV and AIDS,

News /Report JAGST Vol. 13(1) 2011

TB, pneumonia and cancer since these diseases require cellular-immunity for effective prevention and control (Mbakaya *et al.*, 2006; Mbakaya , 2010; Mbakaya *et al.*, 2010f; Williams *et al.*, 2010). More recently, a study has shown that use of zinc microbicides impact a 100% protection in infection with SIM in monkeys (Kenney et al., 2011), further anchoring the earlier views that zinc deficiency is a possible co-factor in HIV transmission and progression (Mbakaya *et al.*, 2004; Bryce-Smith, 1989). This further supports earlier views that zinc sufficiency may explain why monkeys are resistant to HIV-1 infection, suggesting that humans may be more deficient in zinc than monkeys due to lifestyle and dietary differences (Mbakaya, 2006).

An open labeled study in Kenya showed that by management of HIV and AIDS patients using micro-nutrients with enhanced antioxidant properties that included zinc, it was possible to reverse the signs and symptoms associated with HIV and AIDS, significantly reduce viral load and favourably increase the Th-1/Th-2 cytokine expression ratio 8-fold after 36 months of supplementation (Mbakaya et al., 2004a) and support an earlier report that zinc deficiency and AIDS symptoms were similar (Bryce-Smith, 1989). Recently, it has been demonstrated in a randomised controlled study in the US that supplementation with zinc is effective in preventing immunological failure and diarrhoea in HIV and AIDS patients receiving HAART (Baum et al., 2010). A study in South African in which children were supplemented with recommended daily allowance (RDA) zinc for 6 months observed significant reduction in the incidence of diarrhea, but had no effect on viral load (Bobat et al., 2005). These findings are supported by those from another study in Kenya that showed that there was a correlation between low serum zinc, HIV seropositivity, enhanced antibody production and significant viral load reduction in adults on mega-dose multi-micro-nutrient supplementation in western Kenya, suggesting an evolutionary inter-play and a way forward in the fight against HIV and AIDS (Mbakaya et al., 2008a). Therefore, it would appear that these recent studies consistently support the rejected views of Duesberg, to a large extent, when he refuted the HIV causes AIDS theory (Lindermann, 1994). However, to demonstrate how emotive and deeply entrenched the HIV causes AIDS views are among majority of scientists, one needs to look no further than the recent institution of a strict peer-review mechanism at the Medical Hypotheses journal, all because the editor and his editorial board (most of whom have since resigned) had, without peer-review and within their earlier editorial mandate of many years, published a purportedly controversial paper by Professor Peter Duesberg on the HIV causes AIDS theory.

Considering that the final whistle on the outcome of this heated scientific debate is yet to be blown, and none can claim the final laugh yet on this matter that is of major public health concern globally and that has been around and un-resolved for decades, this may be the time to throw more spanners in the works by suggesting that the need to redefine the cause of AIDS may long be overdue, given the emerging evidence.

Under the circumstances, we are scientifically persuaded to speculate and redefine that "AIDS is caused not only by HIV alone but by multiple factors, primarily including zinc

JAGST Vol. 13(1) 2011 News /Report

deficiency as a result of malnutrition and/or evolutionary dynamics that shift human immunological responses from predominantly Th-1 to Th-2 to adapt to/tackle offending pathogens (e.g. viruses, fungi, parasites, semen in the rectum/vagina, bacteria, etc.) and chemicals (pesticides, drugs, contraceptives, dioxins, fumonisins, aflatoxins, dibenzofurans, etc.)" (Mbakaya, 2011). Consequently, when this becomes acceptable as an alternative definition of the cause of AIDS, it will be impossible to envisage success against the scourge purely through awareness campaigns aimed at sexual behavior modification and HAART provision alone without shifting gear to wider efforts that endeavour to prevent populations, especially in sub-Saharan Africa, from widespread exposure to environmental, food-borne and lifestyle chemicals, pathogens and rampant malnutrition.

## References

News /Report

Baum M. K, Lai S., Sales S., Page J. B., Campa A. (2010). A randomized, controlled clinical trial of zinc supplementation to prevent immunological failure in HIV-infected adults. *Clin Infect Dis.*, **50**, pp 1653-1660.

Bobat R., Coovadia H., Stephen C., Naido K. L., Mckerrow N., Black R. E and Moss J. W., (2005). Safety and efficacy of zinc supplementation for children with HIV-1 infection in South Africa: a randomised double-blind placebo-controlled trial. *The Lancet*, **366**, (9500), pp 1862-1867.

Bryce-Smith D. (1989). Zinc deficiency-the neglected factor. *Chem Brit.*, **25**, pp 783-786.

Duesberg P.(1988). HIV is not the cause of AIDS. Science, 241, pp 514-517.

Duesberg P.(1994). Infectious AIDS-Stretching the germ theory beyond its limits. *Int Arch Allergy Immunol.*, **103**, pp 118.

Kenney J., Aravantinou M., Singer R *et al.* An antiretroviral/zinc combination gel provides 24 hours of protection against vaginal SHIV infection in macaques. *PLoS ONE* **6**(1), e15835.

Lindermann J.(1994). Duesberg on AIDS-Stretching our benevolence beyond its limits. *Int Arch Allergy Immunol.*, **103**, pp 128.

Mbakaya C. F. L and Wakori E. W. T (1997). Management of HIV/AIDS: The zinc-dioxin synergy. *Medical Review*, **3**, pp 2-5.

Mbakaya C. F., Orege P. A., Kisingu W. M. (2004a). Management of HIV/AIDS patients using micro-nutrients with enhanced antioxidant properties in Kenya. *Proceedings of the 15<sup>th</sup> International AIDS Conference*, 11<sup>th</sup>-16<sup>th</sup> Jul, Bankok, Thailand.

Mbakaya, C. F. L., Jumba I., Orege P. A., Nyambaka H., Waudo J., Bulimo W., Kisingu W. M. (2004b). Micro-nutrient zinc deficiency as a possible co-factor in the transmission and progression of HIV/AIDS in Kenya. *Afr J Food, Agr Nutr Dev.*, **4**, pp 1-13.

Mbakaya C. F. L (2006). Might micronutrient zinc sufficiency explain HIV-1 resistance in monkeys. *The Scientist,* **20**(8), pp 61.

Mbakaya C. F. L., Nyambaka H., Waudo J., Amukoye E., Orege P., Kisingu W., Koech D., Ndiege I., Mpoke S., Omondi B., Wazala P., Muniu E., (2006). Might susceptibility to HIV, malaria and TB be modifiable by host zinc status among subjects diagnosed with HIV and AIDS with VCT centers in western Kenya? *Proceeding of the 27<sup>th</sup> African Health Sciences Congress*, 3<sup>rd</sup>-6<sup>th</sup> Dec, Durban, South Africa.

Mbakaya C. F. L., Nyambaka H., Waudo J., Amukoye E., Orege P., Kisingu W., Koech D., Ndiege I., Mpoke S., Omondi B., Wazala P., Muniu E. (2008a). Correlation between lower serum zinc and HIV-seropositivity, enhanced HIV antibody production and significant viral load clearance in adult females and males on mega dose multi-micronutrient supplements in Western Kenya suggests an evolutionary interplay and a way forward in management of HIV & AIDS. *Proceedings of the 1<sup>st</sup> National Conference and Exhibition for Dissemination of Research Results and Review of Innovations of the Ministry of Science and Technology*, 28th-30<sup>th</sup> April, Nairobi, Kenya.

Mbakaya C. F. L., Nyambaka H., Waudo J., Amukoye E., Orege P., Kisingu W., Koech D., Ndiege I., Mpoke S., Omondi B., Wazala P., Muniu E. (2008b). Might correlation between lower serum zinc and HIV-seropositivity, enhanced HIV antibody production and significant viral load clearance in adult females and males on mega dose multimicronutrient supplements in Western Kenya suggests an evolutionary interplay? *Proceedings of the 4<sup>th</sup> Public Health Association Conference*, 2-4<sup>th</sup> June, Cape Town, South Africa.

Mbakaya C. F. L., Nyambaka H., Waudo J., Amukoye E., Orege P., Kisingu W., Koech D., Ndiege I., Mpoke S., Omondi B., Wazala P., Muniu E. (2008c). Correlation between lower serum zinc and HIV-seropositivity, enhanced HIV antibody production and significant viral load clearance in adult females and males on mega-dose multi-micro-nutrient supplements in Western Kenya. *Proceedings of the 28<sup>th</sup> African Health Sciences Congress*, 12<sup>th</sup>-19<sup>th</sup> July, University of Mauritius, Port-Louis, Mauritius.

Mbakaya C. F. L (2010a). Elucidating the link between micro-nutrient zinc, malaria, HIV and AIDS and cancer, as guided by outcomes of selected micronutrient interventions in Kenya. *Proceedings of the 4<sup>th</sup> Africa Nutrional Epidemiology Conference*, 4<sup>th</sup>-8<sup>th</sup> October, Safari Park Hotel, Nairobi, Kenya.

Mbakaya C. F. L, Murithi G., Muturi N. M. and Nanzai D. O. (2010b). Elucidating the link between climate change, exposure to pathogens, nutrition and acquired immunity. *Proceedings of the 4<sup>th</sup> Africa Nutrional Epidemiology Conference*, 4<sup>th</sup>-8<sup>th</sup> October, Safari Park Hotel, Nairobi, Kenya.

Mbakaya C. F. L, Misati R., Kagasi E., Amolo J., Mukenya O., (2010c). Might use of oral contraceptives lower serum zinc levels and immunity of women of reproductive age and predispose them to increased morbidity and mortality? *Proceedings of the 17<sup>th</sup> Annual Conference of the Society for Free Radical Biology and Medicine (SFRBM,* 17<sup>th</sup>-21<sup>st</sup> November, Orlando, Florida, USA.

Mbakaya C. F. L., Njuguna N., Memusi D., Mwai J., Kagwaini F., Mugure G., Mwangi E. (2010d). Micronutrients as effect modifiers of HIV transmission and progression in Sub-Saharan Africa. *Proceedings of the 17<sup>th</sup> Annual Conference of the Society for Free* 

News /Report JAGST Vol. 13(1) 2011

Radical Biology and Medicine (SFRBM, 17<sup>th</sup>-21<sup>st</sup> November, Orlando, Florida, USA Proceedings of the 17<sup>th</sup> Annual Conference of the Society for Free Radical Biology and Medicine (SFRBM, 17<sup>th</sup>-21<sup>st</sup> November, Orlando, Florida, USA.

Mbakaya C. F. L., Fanta T., Mayieka L. M., Nyamu J. N., Munguti P., Mutua E., Mburugu C., Kawira S. O. (2010e). Micronutrients in tuberculosis prevention and care in Sub-Saharan Africa. *Proceedings of the 3<sup>rd</sup> Scientific Conference*, 14<sup>th</sup>-15<sup>th</sup> October, Kenyatta National Hospital (KNH), Nairobi, Kenya.

Mbakaya C. F. L., Cherutich R., Kathure I., Ngugi E., Mwiti P., Mchaka J. (2010f). The untapped potential of micro-nutrient zinc as an effect modifier of cancer in vulnerable populations in Sub-Saharan Africa. *Proceedings of the 3<sup>rd</sup> Scientific Conference*, 14<sup>th</sup>-15<sup>th</sup> October, Kenyatta National Hospital (KNH), Nairobi, Kenya.

Mbakaya C. F. L (2011). The role of serum zinc, copper, retinol and  $\alpha$ -Tocopherol in modulation of immunity in HIV & AIDS subjects in western Kenya. *PhD Thesis* (Submitted), Kenyatta University, Nairobi, Kenya

Sprietsma J. E (1999). Modern diets and disease: NO-zinc balance. Under Th1, zinc and nitrogen monoxide (NO) collectively protect against viruses, AIDS, autoimmunity, diabetes, allergies, asthma, infectious disease, atheroscelorosis and cancer. *Medical Hypotheses*, **53**, pp 6-16.

Williams J. H., Grubb J. A., Davis J. W., Wang J. S., Jolly P. E., Ankrah N. A., Ellis W. O., Afrie-Gyawu E., Johnson N. M., Robinson A. G., Phillips T. D., (2010). HIV and hepatocellular and esophageal carcinomas related to consumption of mycotoxin-prone foods in Sub-Saharan Africa. *Am J Clin Nutr.*, **92**, pp 154-60.